

INSERM U888

**Liste des publications originales dans les journaux à comité de lecture
2000-2009**

(par année et classées en fonction de l'Impact factor)

Original publications in peer-reviewed journals (in chronological order)

2000

Escayg A, MacDonald BT, Meisler MH, Baulac S, Huberfeld G, An-Gourfinkel I, Moulard B, Malafosse A, et al. Mutations of SCN1A, encoding a neuronal sodium channel, in two families with GEFS+2. *Nat Genet.* 2000;24(4):343-5.

IF: 25.79

Ritchie K, Touchon J. Mild cognitive impairment: conceptual basis and current nosological status. *Lancet* 2000;355(9199):225-8.

IF: 23.87

Paoloni-Giacobino A, Mouthon D, Lamercy C, Vessaz M, Coutant-Zimmerli S, Rudolph W, Malafosse A, et al. Identification and analysis of new sequence variants in the human tryptophan hydroxylase (TpH) gene. *Mol Psychiatr.* 2000;5(1):49-55.

IF: 9.33

Preisig M, Bellivier F, Fenton BT, Baud P, Berney A, Courtet P, et al. Association between bipolar disorder and monoamine oxidase A gene polymorphisms: results of a multicenter study. *Am J Psychiat.* 2000;157(6):948-55.

IF: 8.28

Moulard B, Buresi C, Malafosse A. Study of the voltage-gated sodium channel beta 1 subunit gene (SCN1B) in the benign familial infantile convulsions syndrome (BFIC). *Hum Mutat.* 2000;16(2):139-42.

IF: 7.92

Moulard B, Chaigne D, Malafosse A. Clinical heterogeneity in pedigrees with 2q-linked febrile seizures. *Ann Neurol.* 2000;47(6):839-40.

IF: 7.57

Zureik M, Ducimetiere P, Touboul PJ, Courbon D, Bonithon-Kopp C, Berr C, et al. Common carotid intima-media thickness predicts occurrence of carotid atherosclerotic plaques: longitudinal results from the Aging Vascular Study (EVA) study. *Arterioscl Throm Vasc.* 2000;20(6):1622-9.

IF: 7.05

Richard F, Berr C, Amant C, Helbecque N, Amouyel P, Alperovitch A. Effect of the angiotensin I-converting enzyme I/D polymorphism on cognitive decline. The EVA Study Group. *Neurobiol Aging* 2000;21(1):75-80.

IF: 5.31

Prince M, Lovestone S, Cervilla J, Joels S, Powell J, Russ C, Mann A, et al. The association between APOE and dementia does not seem to be mediated by vascular factors. *Neurology* 2000;54(2):397-402.

IF: 5.06

Nicollet A, Dauvilliers Y, Ondze B, Vergnes C, Seguret F, Billiard M. Treatment of narcolepsy with modafinil: A long-term open study in 244 patients. *Neurology* 2000;54(7):A19-A20.

IF: 5.06

Dauvilliers Y, Champion D, Lyon-Caen O, Hauw JJ, Touchon J. Novel de novo mutation in the presenilin 1 gene (133) in an atypical early onset Alzheimer disease. *Neurology* 2000;54(7):A413-A414.

IF: 5.06

Cervilla JA, Prince M, Joels S, Lovestone S, Mann A. Long-term predictors of cognitive outcome in a cohort of older people with hypertension. *Brit J Psychiat.* 2000;177:66-71.

IF: 4.95

Calas M, Ancelin ML, Cordina G, Portefaix P, Piquet G, Vidal-Sailhan V, et al. Antimalarial activity of compounds interfering with Plasmodium falciparum phospholipid metabolism: comparison between mono- and bisquaternary ammonium salts. *J Med Chem.* 2000;43(3):505-16.

IF: 4.92

Dufouil C, Tzourio C, Brayne C, Berr C, Amouyel P, Alperovitch A. Influence of apolipoprotein E genotype on the risk of cognitive deterioration in moderate drinkers and smokers. *Epidemiology* 2000;11(3):280-4.

IF: 4.04

Guillemain I, Alonso G, Patey G, Privat A, Chaudieu I. Human NT2 neurons express a large variety of neurotransmission phenotypes in vitro. *J Comp Neurol.* 2000;422(3):380-95.

IF: 3.85

Chollet D, Franken P, Raffin Y, Malafosse A, Widmer J, Tafti M. Blood and brain magnesium in inbred mice and their correlation with sleep quality. *Am J Physiol-Reg In* 2000;279(6):R2173-8.

IF: 3.80

Taylor RE, Mann A, White NJ, Goldberg DP. Attachment style in patients with unexplained physical complaints. *Psychol Med.* 2000;30(4):931-41.

IF: 3.47

Sumathipala A, Hewege S, Hanwella R, Mann A. Randomized controlled trial of cognitive behaviour therapy for repeated consultations for medically unexplained complaints: a feasibility study in Sri Lanka. *Psychol Med.* 2000;30(4):747-57.

IF: 3.47

Plummer SE, Gournay K, Goldberg D, Ritter SA, Mann A, Blizard R. Detection of psychological distress by practice nurses in general practice. *Psychol Med.* 2000;30(5):1233-7.

IF: 3.47

Cervilla JA, Prince M, Joels S, Mann A. Does depression predict cognitive outcome 9 to 12 years later? Evidence from a prospective study of elderly hypertensives. *Psychol Med.* 2000;30(5):1017-23.

IF: 3.47

Berr C, Balansard B, Arnaud J, Roussel AM, Alperovitch A. Cognitive decline is associated with systemic oxidative stress: the EVA study. Etude du Vieillissement Arteriel. *J Am Geriatr Soc* 2000;48(10):1285-91.

IF: 3.47

Karadeniz D, Ondze B, Besset A, Billiard M. EEG arousals and awakenings in relation with periodic leg movements during sleep. *J Sleep Res.* 2000;9(3):273-7.

IF: 3.32

Cervilla JA, Prince M, Mann A. Smoking, drinking, and incident cognitive impairment: a cohort community based study included in the Gospel Oak project. *J Neurol Neurosur Ps.* 2000;68(5):622-6.

IF: 3.12

Moran P, Jenkins R, Tylee A, Blizard R, Mann A. The prevalence of personality disorder among UK primary care attenders. *Acta Psychiatr Scand.* 2000;102(1):52-7.

IF: 2.96

Espa F, Ondze B, Deglise P, Billiard M, Besset A. Sleep architecture, slow wave activity, and sleep spindles in adult patients with sleepwalking and sleep terrors. *Animals* 2000;111(5):929-39.

IF: 2.64

Gerber M, Scali J, Michaud A, Durand MD, Astre CM, Dallongeville J, et al. Profiles of a healthful diet and its relationship to biomarkers in a population sample from Mediterranean southern France. *J Am Diet Assoc.* 2000;100(10):1164-71.

IF: 2.37

Khoris J, Moulard B, Briolotti V, Hayer M, Durieux A, Clavelou P, et al. Coexistence of dominant and recessive familial amyotrophic lateral sclerosis with the D90A Cu,Zn superoxide dismutase mutation within the same country. *Comparative Study* 2000;7(2):207-11.

IF: 2.24

Karadeniz D, Ondze B, Besset A, Billiard M. Are periodic leg movements during sleep (PLMS) responsible for sleep disruption in insomnia patients? *Comparative Study* 2000;7(3):331-6.

IF: 2.24

Tunstall N, Prince M, Mann A. A pilot study of sibling resemblance in later life. *Int J Geriatr Psych.* 2000;15(2):125-9.

IF: 2.16

Mann A, Schneider J, Mozley CG, Levin E, Blizard R, Netten A, et al. Depression and the response of residential homes to physical health needs. *Int J Geriatr Psych.* 2000;15(12):1105-12.

IF: 2.16

Holdsworth M, Gerber M, Haslam C, Scali J, Beardsworth A, Avallone MH, et al. A comparison of dietary behaviour in Central England and a French Mediterranean region. *Eur J Clin Nutr.* 2000;54(7):530-9.

IF: 2.16

Amouyel P, Richard F, Berr C, David-Fromentin I, Helbecque N. The renin angiotensin system and Alzheimer's disease. *Ann NY Acad Sci*. 2000;903:437-41.

IF: 1.97

Karege F, Buresi C, Golaz J, Schwald M, Malafosse A. Decreased expression of Galphas mRNA and protein levels in lithium-treated bipolar affective disorder. *Hum Psychopharm Clin*. 2000;15(3):191-197.

IF: 1.89

Ritchie K, Ledesert B, Touchon J. Subclinical cognitive impairment: epidemiology and clinical characteristics. *Compr Psychiat*. 2000;41(2 Suppl 1):61-5.

IF: 1.74

McCusker J, Boulenger JP, Bellavance F, Boyer R, Miller JM. Outcomes in a referral cohort of patients with anxiety disorders. *J Nerv Ment Dis*. 2000;188(1):3-12.

IF: 1.73

Bashir K, Blizard B, Bosanquet A, Bosanquet N, Mann A, Jenkins R. The evaluation of a mental health facilitator in general practice: effects on recognition, management, and outcome of mental illness. *Brit J Gen Pract*. 2000;50(457):626-9.

IF: 1.73

Sham PC, Sterne A, Purcell S, Cherny S, Webster M, Rijdsdijk F, Mann A, et al. GENESiS: creating a composite index of the vulnerability to anxiety and depression in a community-based sample of siblings. *Twin Res*. 2000;3(4):316-22.

IF: 1.66

Menezes PR, Scazufca M, Rodrigues LC, Mann A. Household crowding and compliance with outpatient treatment in patients with non-affective functional psychoses in Sao Paulo, Brazil. *Soc Psych Psych Epid*. 2000;35(3):116-20.

IF: 1.53

Piquet C, Courtet P, Vergnes C, Roux C, Boulenger JP, Castelnaud D. Suicide attempts and the menstrual cycle. *Eur Psychiat*. 2000;15:98-98.

IF: 1.27

Murray J, Banerjee S, Schneider J, Mann A. Eurocare: A cross-national study of co-resident spouse carers for people with Alzheimer's disease. *Eur Psychiat*. 2000;15:262S-263S.

IF: 1.27

Moran P, Rendu A, Mann A. Personality disorders in primary care. *Eur Psychiat*. 2000;15:87-87.

IF: 1.27

Liu SI, Mann A. The recognition of common mental disorder by non-psychiatric physicians in Taiwan. *Eur Psychiat*. 2000;15:313S-313S.

IF: 1.27

Bellivier F, Malafosse A, Laplanche JL, Girault N, Leboyer M. Serotonergic candidate genes and TPQ dimensions. *Eur Psychiat*. 2000;15:75-75.

IF: 1.27

Baud P, Courtet P, Buresi C, Malafosse A. TPH and MAO-A genes in personality disorders. *Eur Psychiat*. 2000;15:97-97.

IF: 1.27

Touchon J, Ritchie K. Advances in the diagnosis and treatment of Alzheimer's disease. *Int Psychogeriatr*. 2000;12(4):559-560.

IF: 1.21

Mann A. Personality disorders in older adults: Emerging issues in diagnosis and treatment. *Int Psychogeriatr*. 2000;12(3):415-415.

IF: 1.21

Berr C. Cognitive impairment and oxidative stress in the elderly: results of epidemiological studies. *Biofactors* 2000;13(1-4):205-9.

IF: 1.16

Vial H, Ancelin ML, Vidal-Sailhan V, Martin D, Baunaure F, Calas M. New drugs against malaria with special reference to effectors of the plasmodial metabolism. *Indian J Med Res* 2000;175-189.

IF: 0.86

Tur MD, Garrigue V, Vela C, Dupuy AM, Descomps B, Cristol JP, et al. Apolipoprotein CIII is upregulated by anticalcineurins and rapamycin: implications in transplantation-induced dyslipidemia. *Transpl P*. 2000;32(8):2783-4.
IF: 0.79

Ancelin ML, De Roquefeuil G, Ritchie K. Anesthesia and postoperative cognitive dysfunction in the elderly: a review of clinical and epidemiological observations. *Rev Epidemiol Sante* 2000;48(5):459-72.
IF: 0.77

Petit H, Albarede JL, Bakchine S, Boulliat J, Cogneau J, Darcourt G, Touchon J, et al. Converging opinions of a multidisciplinary group of French experts on diagnostic and therapeutic modalities for Alzheimer type dementia. *Rev Neurol*. 2000;156(5):542-52.
IF: 0.44

Moulard B, Crespel A, Malafosse A, Baldy-Moulinier M. Recent insights about genetics of human idiopathic epilepsies and febrile seizures. *Rev Neurol*. 2000;156(10):819-28.
IF: 0.44

Blain H, Jouzeau JY, Blain A, Terlain B, Trechot P, Touchon J, et al. Alzheimer's disease and non steroidal anti-inflammatory drugs with selectivity for cyclo-oxygenase-2: Rationale and perspectives. *Presse Med*. 2000;29(5):267-273.
IF: 0.38

Artero S, Lefranc MP. The Teleostei immunoglobulin heavy IGH genes. *Exp Clin Immunogenet*. 2000;17(3):148-61.

Artero S, Lefranc MP. The telostei immunoglobulin light IGL1 and IGL2 V, J and C genes. *Exp Clin Immunogenet*. 2000;17(3):162-72.

Billiard M, Dauvilliers Y. Narcolepsy: a key role for hypocretins. *MS-Medecine Sciences* 2000;16(1):108-110.

Daures JP, Gerber M, Scali J, Astre C, BonIFacj C, Kaaks R. Validation of a food-frequency questionnaire using multiple-day records and biochemical markers: application of the triads method. *J Epidemiol Biostat*. 2000;5(2):109-15.

Mann A, Moran P. Personality disorder as a reason for action. *J Forensic Psychi*. 2000;11(1):11-16.

Paiva T, Guilleminault C, Sagales T, Billiard M, Zulley J, Challamel MJ, Besset A, et al. The sleep tutorial. *Stud Health Tech Informat*. 2000;78:193-206.

2001

Mazat L, Lafont S, Berr C, Debuire B, Tessier JF, Dartigues JF, et al. Prospective measurements of dehydroepiandrosterone sulfate in a cohort of elderly subjects: relationship to gender, subjective health, smoking habits, and 10-year mortality. *P Natl Acad Sci Usa* 2001;98(14):8145-50.
IF: 10.23

Dauvilliers Y, Neidhart E, Lecendreux M, Billiard M, Tafti M. MAO-A and COMT polymorphisms and gene effects in narcolepsy. *Mol Psychiatr*. 2001;6(4):367-72.
IF: 9.33

Courtet P, Baud P, Abbar M, Boulenger JP, Castelnaud D, Mouthon D, et al. Association between violent suicidal behavior and the low activity allele of the serotonin transporter gene. *Mol Psychiatr*. 2001;6(3):338-41.
IF: 9.33

Abbar M, Courtet P, Bellivier F, Leboyer M, Boulenger JP, Castelnaud D, et al. Suicide attempts and the tryptophan hydroxylase gene. *Mol Psychiatr*. 2001;6(3):268-73.
IF: 9.33

Araya R, Lewis GH, Rojas G, Mann A. "Patient knows best"-detection of common mental disorders in Santiago, Chile: cross sectional study. *Brit Med J*. 2001;322(7278):79-81.
IF: 9.05

Fontbonne A, Berr C, Ducimetiere P, Alperovitch A. Changes in cognitive abilities over a 4-year period are unfavorably affected in elderly diabetic subjects: results of the Epidemiology of Vascular Aging Study. *Diabetes Care* 2001;24(2):366-70.

IF: 7.84

Moulard B, Picard F, le Hellard S, Agulhon C, Weiland S, Favre I, et al. Ion channel variation causes epilepsies. *Brain Res Rev.* 2001;36(2-3):275-84.

IF: 6.40

Berr C, Lambert JC, Sazdovitch V, Amouyel P, Chartier-Harlin MC, Mohr M, et al. Neuropathological epidemiology of cerebral aging: a study of two genetic polymorphisms. *Neurobiol Aging* 2001;22(2):227-35.

IF: 5.31

Ritchie K, Artero S, Touchon J. Classification criteria for mild cognitive impairment: a population-based validation study. *Neurology* 2001;56(1):37-42.

IF: 5.06

Portet F, Artero S, Kotski PO, Ritchie K, Touchon J. Five-year longitudinal study of elderly subjects with memory complaints: The interest of SPECT. *Neurology* 2001;56(8):A262-A263.

IF: 5.06

Helbecque N, Berr C, Cottel D, Fromentin-David I, Sazdovitch V, Ricolfi F, et al. VLDL receptor polymorphism, cognitive impairment, and dementia. *Neurology* 2001;56(9):1183-8.

IF: 5.06

Gelisse P, Malafosse A, Genton P, Thomas P, Moulard B, Crespel A, et al. Mode of inheritance of juvenile myoclonic epilepsy. *Neurology* 2001;56(8):A136-A136.

IF: 5.06

Dauvilliers Y, Montplaisir J, Molinari N, Carlander B, Ondze B, Besset A, et al. Age at onset of narcolepsy in two large populations of patients in France and Quebec. *Neurology* 2001;57(11):2029-33.

IF: 5.06

Stewart R, Prince M, Mann A, Richards M, Brayne C. Stroke, vascular risk factors and depression: Cross-sectional study in a UK Caribbean-born population. *Brit J Psychiat.* 2001;178(1):23-8.

IF: 4.95

Reeves SJ, Sauer J, Stewart R, Granger A, Howard RJ. Increased first-contact rates for very-late-onset schizophrenia-like psychosis in African- and Caribbean-born elders. *Brit J Psychiat.* 2001;179:172-4.

IF: 4.95

Ancelin ML, de Roquefeuil G, Ledesert B, Bonnel F, Cheminal JC, Ritchie K. Exposure to anaesthetic agents, cognitive functioning and depressive symptomatology in the elderly. *Brit J Psychiat.* 2001;178:360-6.

IF: 4.95

Petersen RC, Doody R, Kurz A, Mohs RC, Morris JC, Rabins PV, Ritchie K, et al. Current concepts in mild cognitive impairment. *Arch Neurol.* 2001;58(12):1985-92.

IF: 4.90

Billiard M, Dauvilliers Y. Response to "Idiopathic hypersomnia: a diagnostic dilemma" (J. Montplaisir and L. Fantini). *Sleep Med Rev.* 2001;5(5):363-364.

IF: 3.96

Billiard M, Dauvilliers Y. Idiopathic Hypersomnia. *Sleep Med Rev.* 2001;5(5):349-358.

IF: 3.96

Stewart R, Russ C, Richards M, Brayne C, Lovestone S, Mann A. Depression, APOE genotype and subjective memory impairment: a cross-sectional study in an African-Caribbean population. *Psychol Med.* 2001;31(3):431-40.

IF: 3.47

Rijsdijk FV, Sham PC, Sterne A, Purcell S, McGuffin P, Farmer A, Mann A, et al. LIFe events and depression in a community sample of siblings. *Psychol Med.* 2001;31(3):401-10.

IF: 3.47

Moran P, Rendu A, Jenkins R, Tylee A, Mann A. The impact of personality disorder in UK primary care: a 1-year follow-up of attenders. *Psychol Med.* 2001;31(8):1447-54.

IF: 3.47

Braam AW, Van den Eeden P, Prince MJ, Beekman AT, Kivela SL, Lawlor BA, Mann A, et al. Religion as a cross-cultural determinant of depression in elderly Europeans: results from the EURODEP collaboration. *Psychol Med.* 2001;31(5):803-14.

IF: 3.47

Stewart R, Richards M, Brayne C, Mann A. Vascular risk and cognitive impairment in an older, British, African-Caribbean population. *J Am Geriatr Soc.* 2001;49(3):263-9.

IF: 3.47

Chollet D, Franken P, Raffin Y, Henrotte JG, Widmer J, Malafosse A, et al. Magnesium involvement in sleep: genetic and nutritional models. *Behav Genet.* 2001;31(5):413-25.

IF: 3.17

Moore T, Hecquet S, McLellann A, Ville D, Grid D, Picard F, Moulard B, et al. Polymorphism analysis of JRK/JH8, the human homologue of mouse jerky, and description of a rare mutation in a case of CAE evolving to JME. *Epilepsy Res.* 2001;46(2):157-67.

IF: 2.66

Stewart R, Russ C, Richards M, Brayne C, Lovestone S, Mann A. Apolipoprotein E genotype, vascular risk and early cognitive impairment in an African Caribbean population. *Dement Geriatr Cogn Disord.* 2001;12(4):251-6.

IF: 2.60

Karege F, Schwald M, Lambercy C, Murama JJ, Cisse M, Malafosse A. A non-radioactive assay for the cAMP-dependent protein kinase activity in rat brain homogenates and age-related changes in hippocampus and cortex. *Brain Res.* 2001;903(1-2):86-93.

IF: 2.29

Stewart R, Richards M, Brayne C, Mann A. Cognitive function in UK community-dwelling African Caribbean elders: normative data for a test battery. *Int J Geriatr Psychiatry* 2001;16(5):518-27.

IF: 2.16

Artero S, Touchon J, Ritchie K. Disability and mild cognitive impairment: a longitudinal population-based study. *Int J Geriatr Psych.* 2001;16(11):1092-7.

IF: 2.16

Le Melleo JM, Arthur H, Dalton J, Woo C, Lipton N, Bellavance F, Boulenger JP, et al. The influence of Type A behavior pattern on the response to the panicogenic agent CCK-4. *J Psychosom Res.* 2001;51(3):513-20.

IF: 2.05

Dauvilliers Y, Touchon J. Sleep in fibromyalgia: review of clinical and polysomnographic data. *Neurophysiol Clin.* 2001;31(1):18-33.

IF: 2.01

Bennys K, Rondouin G, Vergnes C, Touchon J. Diagnostic value of quantitative EEG in Alzheimer's disease. *Neurophysiol Clin.* 2001;31(3):153-60.

IF: 2.01

Mann A. Depression in the elderly: findings from a community survey. *Maturitas* 2001;38(1):53-8; discussion 58-9.

IF: 2.00

Scali J, Richard A, Gerber M. Diet profiles in a population sample from Mediterranean southern France. *Public Health Nutr.* 2001;4(2):173-82.

IF: 1.91

Dupuy AM, Badiou S, Ritchie K, Mas E, Descomps B, Cristol JP, et al. Discrepancies between apolipoprotein E phenotyping and genotyping in the elderly. *Clin Chem Lab Med* 2001;39(5):405-413.

IF: 1.91

Portet F, Cadilhac C, Touchon J, Camu W. Cognitive impairment in motor neuron disease with bulbar onset. *Amyotroph Lateral Sc. and Other Motor Neuron Disorders* 2001;2(1):23-9.

IF: 1.71

Raynaud-Simon A, Lafont S, Berr C, Dartigues JF, Baulieu EE, Le Bouc Y. Plasma insulin-like growth factor I levels in the elderly: relation to plasma dehydroepiandrosterone sulfate levels, nutritional status, health and mortality. *Gerontology* 2001;47(4):198-206.

IF: 1.63

Dupuy AM, Mas E, Ritchie K, Descomps B, Badiou S, Cristol JP, et al. The relationship between apolipoprotein E4 and lipid metabolism is impaired in Alzheimer's disease. *Gerontology* 2001;47(4):213-8.

IF: 1.63

Ritchie K, Mann A. Community studies of psychogeriatric disorders. *Curr Opin Psychiatr.* 2001;14(4):383-386.

IF: 1.21

Escot C, Artero S, Gandubert C, Boulenger JP, Ritchie K. Stress levels in nursing staff working in oncology. *Stress Health* 2001;17(5):273-279.

IF: 0.65

Courtet P. Viewpoint of schizophrenic patients: a European survey. *Encephale* 2001;27(1):28-38.

IF: 0.48

Portet F, Touchon J, Camu W. Amyotrophic lateral sclerosis and cognitive disorders: review and analysis of the literature. *Rev Neurol.* 2001;157(2):139-50.

IF: 0.44

Ondze B, Espa F, Ming LC, Chakkar B, Besset A, Billiard M. Advanced sleep phase syndrome. *Rev Neurol.* 2001;157(11 Pt 2):S130-4.

IF: 0.44

Nobili L, Beelke M, Besset A, Billiard M, Ferrillo F. Nocturnal sleep features in narcolepsy: a model-based approach. *Rev Neurol.* 2001;157(11 Pt 2):S82-6.

IF: 0.44

Espa F, Besset A. Circadian and ultradian cycles in narcolepsy. *Rev Neurol.* 2001;157(11 Pt 2):S87-91.

IF: 0.44

Dauvilliers Y, Tafti M, Billiard M. Genetics of human narcolepsy. *Rev Neurol.* 2001;157(11 Pt 2):S92-6.

IF: 0.44

Carlander B, Dauvilliers Y, Billiard M. Immunological aspects of narcolepsy. *Rev Neurol* 2001;157(11 Pt 2):S97-100.

IF: 0.44

Billiard M, Rondouin G, Espa F, Dauvilliers Y, Besset A. Physiopathology of idiopathic hypersomnia. Current studies and new orientations. *Rev Neurol.* 2001;157(11 Pt 2):S101-6.

IF: 0.44

Besset A, Espa F. Disorders of arousal. *Rev Neurol.* 2001;157(11 Pt 2):S107-11.

IF: 0.44

Hamel B, Courtet P, Vergnes C, Boulenger JP. Clinical impact of atypical antipsychotics: prospective 6-month study of inpatients treated with risperidone or olanzapine. *Therapie* 2001;56(6):645-52.

IF: 0.35

Artero S, Ritchie K. Late-Onset depressive episodes in the elderly: examination of evidence for a separate nosological entity. *Psychogeriatrics* 2001;1:194-202.

Catu-Pinault A, Dartigues JF, Foretti F, Robert P, Seux ML, Thevenet MP, Touchon J, et al. Practical recommendations for the diagnosis of Alzheimer's disease. *J Radiol* 2001;82(6):697-699.

2002

Wengelnik K, Vidal V, Ancelin ML, Cathiard AM, Morgat JL, Kocken CH, et al. A class of potent antimalarials and their specific accumulation in infected erythrocytes. *Science* 2002;295(5558):1311-4.

IF: 30.92

Ritchie K, Lovestone S. The dementias. *Lancet* 2002;360(9347):1759-66.

IF: 23.87

Torreilles F, Touchon J. Pathogenic theories and intrathecal analysis of the sporadic form of Alzheimer's disease. *Prog Neurobiol.* 2002;66(3):191-203.

IF: 11.78

Portet F, Artero S, Ritchie K, Tonati L, Touchon J. Prevalence of dementia in elderly subjects: Preliminary results of a population-based study. *Neurobiol Aging* 2002;23(1):S451-S452.

IF: 5.31

Bennys K, Portet F, Martin K, Nargeot CG, Touchon J, Rondouin G. Interest of event related evoked potentials (N2 and P3) in neurodegenerative disease: Comparison between mild cognitive impairment, Alzheimer disease, amyotrophic lateral sclerosis and controls. *Neurobiol Aging* 2002;23(1):S157-S158.

IF: 5.31

Dauvilliers Y, Mayer G, Lecendreux M, Neidhart E, Peraïta-Adrados R, Sonka K, et al. Kleine-Levin syndrome: an autoimmune hypothesis based on clinical and genetic analyses. *Neurology* 2002;59(11):1739-45.

IF: 5.06

Ritchie K. MCI subjects, reevaluation of current criteria? *J Clin Psychiat.* 2002;63(11):1078-1079.

IF: 5.03

Espa F, Dauvilliers Y, Ondze B, Billiard M, Besset A. Arousal reactions in sleepwalking and night terrors in adults: the role of respiratory events. *Sleep* 2002;25(8):871-5.

IF: 4.95

Dauvilliers Y, Bazin M, Ondze B, Bera O, Bazin M, Besset A, et al. Severity of narcolepsy among French of different ethnic origins (south of France and Martinique). *Sleep* 2002;25(1):50-5.

IF: 4.95

Rendu A, Moran P, Patel A, Knapp M, Mann A. Economic impact of personality disorders in UK primary care attenders. *Brit J Psychiat.* 2002;181:62-6.

IF: 4.95

Moulard B, Genton P, Grid D, Jeanpierre M, Ouazzani R, Mrabet A, et al. Haplotype study of West European and North African Unverricht-Lundborg chromosomes: evidence for a few founder mutations. *Hum Genet.* 2002;111(3):255-62.

IF: 4.33

Buhr A, Bianchi MT, Baur R, Courtet P, Pignay V, Boulenger JP, et al. Functional characterization of the new human GABA(A) receptor mutation beta3(R192H). *Hum Genet.* 2002;111(2):154-60.

IF: 4.33

Dauvilliers Y, Neidhart E, Billiard M, Tafti M. Sexual dimorphism of the catechol-O-methyltransferase gene in narcolepsy is associated with response to modafinil. *Pharmacogenomics J* 2002;2(1):65-8.

IF: 3.98

Paterniti S, Zureik M, Berr C, Alperovitch A. Trait-anxiety predicts incidence of myocardial infarction in 514 elderly men. *Psychosom Med.* 2002;64(1):109-109.

IF: 3.64

Stewart R, Richards M. Surveying older people from minority ethnic groups: an evaluation of a primary care sampling method for UK African-Caribbean elders. *Int J Methods Psychiatr Res* 2002;11(4):178-83.

IF: 3.55

Courtet P, Torres S, Astruc B, Jollant F, Castelnaud D, Buresi C. The serotonin transporter gene may be involved in the short-term risk of subsequent suicide attempt. *Eur Neuropsychopharmacol.* 2002;12:S423-S424.

IF: 3.51

Liu SI, Prince M, Blizard B, Mann A. The prevalence of psychiatric morbidity and its associated factors in general health care in Taiwan. *Psychol Med.* 2002;32(4):629-37.

IF: 3.47

Stewart R, Asonganyi B, Sherwood R. Plasma homocysteine and cognitive impairment in an older British African-Caribbean population. *J Am Geriatr Soc.* 2002;50(7):1227-32.

IF: 3.47

Bertrand D, Picard F, Le Hellard S, Weiland S, Favre I, Phillips H, Malafosse A, et al. How mutations in the nAChRs can cause ADNFLE epilepsy. *Epilepsia* 2002;43 Suppl 5:112-22.

IF: 3.22

Raynaud-Simon A, Lafont S, Berr C, Dartigues JF, Le Bouc Y. Orosomucoïd: a mortality risk factor in elderly people living in the community? *Clin Nutr*. 2002;21(1):45-50.

IF: 2.29

Stewart R, Prince M, Harwood R, Whitley R, Mann A. Quality of accommodation and risk of depression in later life: an analysis of prospective data from the Gospel Oak Project. *Int J Geriatr Psych*. 2002;17(12):1091-8.

IF: 2.16

Stewart R, Johnson J, Richards M, Brayne C, Mann A. The distribution of Mini-Mental State Examination scores in an older UK African-Caribbean population compared to MRC CFA study norms. *Int J Geriatr Psych*. 2002;17(8):745-51.

IF: 2.16

Richards M, Touchon J, Ledesert B, Ritchie K. Mild extrapyramidal signs and functional impairment in ageing. *Int J Geriatr Psych*. 2002;17(2):150-3.

IF: 2.16

Reeves S, Stewart R, Howard R. Service contact and psychopathology in very-late-onset schizophrenia-like psychosis: the effects of gender and ethnicity. *Int J Geriatr Psych*. 2002;17(5):473-9.

IF: 2.16

Brousseau T, Dupuy-Gorce AM, Evans A, Arveiler D, Ruidavets JB, Haas B, et al. Significant impact of the highly informative (CA)n repeat polymorphism of the APOA-II gene on the plasma APOA-II concentrations and HDL subfractions: The ECTIM study. *Am J Med Genet B* 2002;110(1):19-24.

IF: 1.91

Courtet P, Buresi C, Baud P, Astruc B, Jollant F, Tores S, et al. Tryptophan hydroxylase and MAOA genes in suicidal behaviour. *Am J Med Genet*. 2002;114(7):735-735.

IF: 1.91

Gely-Nargeot MC, Ska B, Touchon J. Text structure and content modulate the recall of patients with dementia of the Alzheimer's type. *Brain Cognition* 2002;48(2-3):371-5.

IF: 1.84

Moulard B, Bertrand D. Epilepsy and sodium channel blockers. *Expert Opin. Ther Patents* 2002;12:85-91.

IF: 1.35

Alperovitch A, Amouyel P, Dartigues JF, Ducimetiere P, Mazoyer B, Ritchie K, et al. Epidemiological studies on aging in France: from the PAQUID study to the Three-City study. *CR Biol*. 2002;325(6):665-72.

IF: 1.19

Schneider J, Hallam A, Murray J, Foley B, Atkin L, Banerjee S, Mann A, et al. Formal and informal care for people with dementia: factors associated with service receipt. *Aging Ment Health* 2002;6(3):255-65.

IF: 1.18

Lovisi GM, Coutinho E, Morgado A, Mann A. Social disablement among residents of hostels for the homeless in Rio de Janeiro, Brazil. *Int J Soc Psychiatr*. 2002;48(4):279-89.

IF: 0.80

Jacob KS, Bhugra D, Mann A. A randomised controlled trial of an educational intervention for depression among Asian women in primary care in the United Kingdom. *Int J Soc Psychiatr*. 2002;48(2):139-48.

IF: 0.80

Scali J, Loup P, Siari S, Gutierrez Y, Grosclaude P, Rotily M, et al. Alcohol consumption by young adults from three cities in Southern France. *Rev Epidemiol Sante* 2002;50(4):357-69.

IF: 0.77

Granier E, Boulenger JP. Suicidal Risk Scale. *Encephale* 2002;28(1):29-38.

IF: 0.48

Touchon J, Portet F. Mild cognitive impairment: imaging data. *Rev Neurol*. 2002;158(10 Suppl):S21-9.

IF: 0.44

Portet F, Touchon J. REM Sleep behavioral disorder. *Rev Neurol*. 2002;158(11):1049-56.

IF: 0.44

Malafosse A, Moulard B. Genetic aspects of epilepsy: current knowledge and perspectives. *Rev Neurol.* 2002;158(3):283-91.

IF: 0.44

Malafosse A. Genetics en epileptology. *Rev Neurol.* 2002;158(5 Pt 2):4S15-8.

IF: 0.44

Dubois B, Henry-Feugeas MC, De Rotrou MC, Mahieux F, Berr C, Michel BF. Etude "Pré-AL" étude nationale sur la maladie d'Alzheimer au stade prédéméntiel. *Rev Neurol.* 2002;158:181.

IF: 0.44

Dartigues JF, Helmer C, Dubois B, Duyckaerts C, Laurent B, Pasquier F, Touchon J, et al. Alzheimer's disease: a public health problem: yes, but a priority?. *Rev Neurol.* 2002;158(3):311-5.

IF: 0.44

Artero S, Ritchie K. Mild cognitive decline in the elderly: nosology and clinical status. *Rev Neurol.* 2002;158(10 Suppl):S5-10.

IF: 0.44

Pignay-Demaria V, Demaria R, Boulenger JP, Chaptal PA, Lesperance F. Impact of psychiatric disturbances on the outcome of coronary bypass surgery. *Arch Mal Coeur Vaiss* 2002;95(6):589-95.

IF: 0.40

Dubois B, Touchon J, Portet F, Ousset PJ, Vellas B, Michel B. "The 5 words": a simple and sensitive test for the diagnosis of Alzheimer's disease. *Presse Med.* 2002;31(36):1696-9.

IF: 0.38

Braconnier A, Cottrau J, Queneau P, Cottraux J, Abdelmoumene N, Chevalier P, Boulenger JP, et al. Out-patient diagnosis and management of generalized anxiety in adults. *Presse Med.* 2002;31(10):463-467.

IF: 0.38

Sonka K, Pretl M, Hnidkova P, Nevsimalova S, Jakoubkova M, Smolik P, Dauvilliers Y, et al. Two case-reports of recurrent hypersomnia - Clinical course and polysomnography. *Cesk Slov Neurol N.* 2002;65(3):199-205.

IF: 0.07

Berr C. Oxidative stress and cognitive impairment in the elderly. *J Nutr Health Aging* 2002;6(4):261-6.

Dartigues JF, Berr C, Helmer C, Letenneur L. Epidemiology of Alzheimer's disease. *MS-Medecine Sciences* 2002;18(6-7):737-743.

Kim JM, Stewart R, Shin IS, Yoon JS. Low cholesterol, cognitive function and Alzheimer s disease in a community population with cognitive impairment. *J Nutr Health Aging* 2002;6(5):320-3.

Moulard B, Darcel F, Mignard D, Jeanpierre M, Genton P, Cartault F, et al. Aspects génétiques de l'épilepsie myoclonique progressive de type Unverricht-Lundborg sur l'île de La Réunion. *Epilepsies* 2002;14:99-106.

Siari S, Scali J, Richard A, Tretarre B, Daures JP, Padilla M, et al. Subregional variations of dietary consumption and incidences of cancers in southern France. *IARC Scientific Publications* 2002;156:127-9.

2003

Patel V, Chisholm D, Rabe-Hesketh S, Dias-Saxena F, Andrew G, Mann A. Efficacy and cost-effectiveness of drug and psychological treatments for common mental disorders in general health care in Goa, India: a randomised, controlled trial. *Lancet* 2003;361(9351):33-9.

IF: 23.87

Ritchie K. Alcohol consumption and the risk of dementia. *Lancet Neurol.* 2003;2(6):333.

IF: 11.23

Lecendreux M, Bassetti C, Dauvilliers Y, Mayer G, Neidhart E, Tafti M. HLA and genetic susceptibility to sleepwalking. *Mol Psychiatr.* 2003;8(1):114-7.

IF: 9.33

Bellivier F, Golmard JL, Rietschel M, Schulze TG, Malafosse A, Preisig M, et al. Age at onset in bipolar I affective disorder: further evidence for three subgroups. *Am J Psychiat*. 2003;160(5):999-1001.

IF: 8.28

Heude B, Ducimetiere P, Berr C. Cognitive decline and fatty acid composition of erythrocyte membranes--The EVA Study. *Am J Clin Nutr*. 2003;77(4):803-8.

IF: 5.85

Badiou S, De Boever CM, Dupuy AM, Baillat V, Cristol JP, Reynes J. Small dense LDL and atherogenic lipid profile in HIV-positive adults: influence of lopinavir/ritonavir-containing regimen. *Aids* 2003;17(5):772-4.

IF: 5.83

Rigaud AS, Andre G, Vellas B, Touchon J, Pere JJ. No additional benefit of HRT on response to rivastigmine in menopausal women with AD. *Neurology* 2003;60(1):148-9.

IF: 5.06

Portet F, Dauvilliers Y, Campion D, Raux G, Hauw JJ, Lyon-Caen O, et al. Very early onset AD with a de novo mutation in the presenilin 1 gene (Met 233 Leu). *Neurology* 2003;61(8):1136-7.

IF: 5.06

Puertas JF, Seguret F, Dauvilliers Y, Carlander B, Billiard M. Reliability of clinical impression in the differential diagnosis of disorders of excessive daytime sleepiness (EDS). *Sleep* 2003;26:A365-A365.

IF: 4.95

Puertas JF, Dauvilliers Y, Cervena K, Spiropoulos K, Billiard M. Family aspects of idiopathic hypersomnia (polysymptomatic form). *Sleep* 2003;26:A350-A350.

IF: 4.95

Dauvilliers Y, Carlander B, Molinari N, Desautels A, Okun M, Tafti M, et al. Month of birth as a risk factor for narcolepsy. *Sleep* 2003;26(6):663-5.

IF: 4.95

Ngoma MC, Prince M, Mann A. Common mental disorders among those attending primary health clinics and traditional healers in urban Tanzania. *Brit J Psychiat*. 2003;183:349-55.

IF: 4.95

Moran P, Leese M, Lee T, Walters P, Thornicroft G, Mann A. Standardised Assessment of Personality - Abbreviated Scale (SAPAS): preliminary validation of a brief screen for personality disorder. *Brit J Psychiat*. 2003;183:228-32.

IF: 4.95

Voisin T, Touchon J, Vellas B. Mild cognitive impairment: a nosological entity? *Curr Opin Neurol*. 2003;16 Suppl 2:S43-5.

IF: 4.87

Ancelin ML, Calas M, Vidal-Sailhan V, Herbute S, Ringwald P, Vial HJ. Potent inhibitors of Plasmodium phospholipid metabolism with a broad spectrum of in vitro antimalarial activities. *Antimicrob Agents Ch*. 2003;47(8):2590-7.

IF: 4.37

Ancelin ML, Calas M, Bonhoure A, Herbute S, Vial HJ. In vivo antimalarial activities of mono- and bis quaternary ammonium salts interfering with Plasmodium phospholipid metabolism. *Antimicrob Agents Ch*. 2003;47(8):2598-605.

IF: 4.37

Rousseva A, Henry C, van den Bulke D, Fournier G, Laplanche JL, Leboyer M, Malafosse A, et al. Antidepressant-induced mania, rapid cycling and the serotonin transporter gene polymorphism. *Pharmacogenomics J*. 2003;3(2):101-4.

IF: 3.98

Badiou S, Merle De Boever C, Dupuy AM, Baillat V, Cristol JP, Reynes J. Decrease in LDL size in HIV-positive adults before and after lopinavir/ritonavir-containing regimen: an index of atherogenicity? *Atherosclerosis* 2003;168(1):107-13.

IF: 3.77

Tafti M, Dauvilliers Y. Pharmacogenomics in the treatment of narcolepsy. *Pharmacogenomics* 2003;4(1):23-33.

IF: 3.62

Courtet P, Buresi C, Abbar M, Baud P, Boulenger JP, Castelnau D, et al. No association between non-violent suicidal behavior and the serotonin transporter promoter polymorphism. *Am J Med Genet B*. 2003;116(1):72-6.

IF: 3.52

Proudfoot J, Goldberg D, Mann A, Everitt B, Marks I, Gray JA. Computerized, interactive, multimedia cognitive-behavioural program for anxiety and depression in general practice. *Psychol Med*. 2003;33(2):217-27.

IF: 3.47

Stewart R, Prince M, Mann A. Age, vascular risk, and cognitive decline in an older, British, African-Caribbean population. *J Am Geriatr Soc*. 2003;51(11):1547-53.

IF: 3.47

Guillemain I, Fontes G, Privat A, Chaudieu I. Early programmed cell death in human NT2 cell cultures during differentiation induced by all-trans-retinoic acid. *J Neurosci Res*. 2003;71(1):38-45.

IF: 3.23

Moulard B, Darcel F, Mignard D, Jeanpierre M, Genton P, Cartault F, et al. Founder effect in patients with Unverricht-Lundborg disease on reunion island. *Epilepsia* 2003;44(10):1357-60.

IF: 3.22

Dauvilliers Y, Baumann CR, Carlander B, Bischof M, Blatter T, Lecendreux M, et al. CSF hypocretin-1 levels in narcolepsy, Kleine-Levin syndrome, and other hypersomnias and neurological conditions. *J Neurol Neurosurg Ps*. 2003;74(12):1667-73.

IF: 3.12

Banerjee S, Murray J, Foley B, Atkins L, Schneider J, Mann A. Predictors of institutionalisation in people with dementia. *J Neurol Neurosurg Ps*. 2003;74(9):1315-6.

IF: 3.12

Malatesta D, Simar D, Dauvilliers Y, Candau R, Borrani F, Prefaut C, et al. Energy cost of walking and gait instability in healthy 65- and 80-yr-olds. *J Appl Physiol*. 2003;95(6):2248-56.

IF: 3.03

Artero S, Tierney MC, Touchon J, Ritchie K. Prediction of transition from cognitive impairment to senile dementia: a prospective, longitudinal study. *Acta Psychiatr Scand* 2003;107(5):390-3.

IF: 2.96

Reeves S, Hudson S, Fletcher H, Sauer J, Stewart R, Howard R. Are Black Caribbean patients more likely to receive an incorrect diagnosis of very-late-onset schizophrenia-like psychosis than their white British counterparts? *Am J Geriatr Psychiat*. 2003;11(6):674-7.

IF: 2.92

30. Dauvilliers Y, Billiard M, Montplaisir J. Clinical aspects and pathophysiology of narcolepsy. *Clin Neurophysiol*. 2003;114(11):2000-17.

IF: 2.64

Ondze B, Espa F, Dauvilliers Y, Billiard M, Besset A. Sleep architecture, slow wave activity and sleep spindles in mild sleep disordered breathing. *Clin Neurophysiol*. 2003;114(5):867-74.

IF: 2.64

The 3C Study Group. Vascular Factors and risk of dementia: Design of the three city study and baseline characteristics of the study population. *Neuroepidemiology* 2003;22(6):316-325.

IF: 2.60

Berr C, Helbecque N, Sazdovitch V, Mohr M, Amant C, Amouyel P, et al. Polymorphism of the codon 129 of the prion protein (PrP) gene and neuropathology of cerebral ageing. *Acta Neuropathol*. 2003;106(1):71-4.

IF: 2.52

Harris T, Cook DG, Victor C, Rink E, Mann A, Shah S, et al. Predictors of depressive symptoms in older people--a survey of two general practice populations. *Age Ageing* 2003;32(5):510-8.

IF: 2.19

Allard J, Artero S, Ritchie K. Consumption of psychotropic medication in the elderly: a re-evaluation of its effect on cognitive performance. *Int J Geriatr Psych*. 2003;18(10):874-8.

IF: 2.16

Dupuy AM, Badiou S, Descomps B, Cristol JP. Immunoturbidimetric determination of C-reactive protein (CRP) and high-sensitivity CRP on heparin plasma. Comparison with serum determination. *Clin Chem Lab Med*. 2003;41(7):948-9.

IF: 1.91

Bennewitz J, Reinsch N, Grohs C, Leveziel H, Malafosse A, Thomsen H, et al. Combined analysis of data from two granddaughter designs: A simple strategy for QTL confirmation and increasing experimental power in dairy cattle. *Genet Sel Evol*. 2003;35(3):319-38.

IF: 1.78

Molinie F, Favier A, Kauffmann F, Berr C. Effects of lipid peroxidation and antioxidant status on peak flow in a population aged 59-71 years: the EVA study. *Resp Med*. 2003;97(8):939-46.

IF: 1.66

Lovisi GM, Mann A, Coutinho E, Morgado AF. Mental illness in an adult sample admitted to public hostels in the Rio de Janeiro metropolitan area, Brazil. *Soc Psych Psych Epid*. 2003;38(9):493-8.

IF: 1.53

Stewart R, Kim JM, Shin IS, Yoon JS. Education and the association between vascular risk factors and cognitive function: a cross-sectional study in older Koreans with cognitive impairment. *Int Psychogeriatr*. 2003;15(1):27-36.

IF: 1.21

Artero S, Ritchie K. The detection of mild cognitive impairment in the general practice setting. *Aging Ment Health* 2003;7(4):251-8.

IF: 1.18

Proudfoot J, Swain S, Widmer S, Watkins E, Goldberg D, Marks I, Mann A, et al. The development and beta-test of a computer-therapy program for anxiety and depression: hurdles and lessons. *Comput Hum Behav*. 2003;19(3):277-289.

IF: 1.11

Badiou S, Cristol JP, Morena M, Bosc JY, Carbonneau MA, Dupuy AM, et al. Vitamin E supplementation increases LDL resistance to ex vivo oxidation in hemodialysis patients. *Int J Vitam Nutr Res*. 2003;73(4):290-6.

IF: 1.03

Dupuy AM, Terrier N, Senecal L, Morena M, Leray H, Canaud B, et al. Is C-reactive protein a marker of inflammation?. *Nephrology* 2003;24(7):337-41.

IF: 1.02

Schneider J, Hallam A, Islam MK, Murray J, Foley B, Atkins L, Mann A, et al. Formal and informal care for people with dementia: variations in costs over time. *Ageing Soc*. 2003;23:303-326.

IF: 0.95

Badiou S, Dupuy AM, Descomps B, Cristol JP. Comparison between the enzymatic vitros assay for creatinine determination and three other methods adapted on the Olympus analyzer. *J Clin Lab Anal*. 2003;17(6):235-40.

IF: 0.84

Lechevallier N, Fourrier A, Berr C. Benzodiazepine use in the elderly: the EVA Study. *Rev Epidemiol Sante*. 2003;51(3):317-26.

IF: 0.77

Colvez A, Castex A, Carriere I. Recovery from disability in an older population. Results of long-term follow-up in Upper-Normandy (France). *Rev Epidemiol Sante*. 2003;51(6):565-73.

IF: 0.77

Berr C, Deriennic F, Zins M. Cohorts and biology databanks. *Rev Epidemiol Sante*. 2003;51(1 Pt 2):97-8.

IF: 0.77

Bara C, Berr C, Blacher J, Bloch J, Bonaiti C, Calvez T, et al. Proposed law on protection of personal rights concerning personal information. Position of the French National Civil Rights Commission (CCTIR). *Rev Epidemiol Sante*. 2003;51(3):364-67.

IF: 0.77

Dauvilliers Y. Neurodegenerative, autoimmune and genetic processes of human and animal narcolepsy. *Rev Neurol*. 2003;159(11 Suppl):6S83-7.

IF: 0.44

Pignay V, Demaria R, Boulenger J. Dépression: un facteur de risque pour les patients coronariens. *Arch Mal Coeur Vaiss*. 2003;115:17-19.

IF: 0.40

Ancelin ML, Berr C. Hormonal replacement therapy and Alzheimer's disease. All quiet on the western front? *Psychol Neuropsychiatr Vieil*. 2003;1(4):251-7.

Badiou S, Dupuy AM, Baillat V, Fabre J, Tur MD, Cristol JP, et al. Apolipoprotein CIII and highly active antiretroviral therapy (HAART)-induced hypertriglyceridemia. *Clin Lab*. 2003;49(1-2):11-3.

Billiard M, Dauvilliers Y. Neurodegenerative disease and sleep. *SANP (Swiss Archives of Neurology and Psychiatry)* 2003;154:384-390.

Boulenger JP, Piquet C, Hermes A, Aussilloux C. Anxiety and adjustment disorders. *Rev Prat*. 2003;53(15):1715-22.

Courtet P, Castelnau D. Temperament and creativity. *Annales Medico-Psychologiques* 2003;161(9):674-683.

Dauvilliers Y, Challamel MJ, Touchon J. [Sleep disorders in children and adults]. *Rev Prat* 2003;53(17):1937-46.

Maret S, Dauvilliers Y, Tafti M. Genetic Basis of Sleep Disorders. *SANP (Swiss Archives of Neurology and Psychiatry)* 2003;154:316-323.

2004

Vial HJ, Wein S, Farenc C, Kocken C, Nicolas O, Ancelin ML, et al. Prodrugs of bisthiazolium salts are orally potent antimalarials. *P Natl Acad Sci U S A*. 2004;101(43):15458-63.
IF: 10.23

Raingard I, Courtet P, Renard E, Bringer J. Naltrexone improves blood glucose control in type 1 diabetic women with severe and chronic eating disorders. *Diabetes Care* 2004;27(3):847-8.
IF: 7.84

Dauvilliers Y, Carlander B, Rivier F, Touchon J, Tafti M. Successful management of cataplexy with intravenous immunoglobulins at narcolepsy onset. *Ann Neurol*. 2004;56(6):905-8.
IF: 7.57

Dauvilliers Y, Blouin JL, Neidhart E, Carlander B, Eliaou JF, Antonarakis SE, et al. A narcolepsy susceptibility locus maps to a 5 Mb region of chromosome 21q. *Ann Neurol* 2004;56(3):382-8.
IF: 7.57

Courtet P, Picot MC, Bellivier F, Torres S, Jollant F, Michelon C, et al. Serotonin transporter gene may be involved in short-term risk of subsequent suicide attempts. *Biol Psychiat*. 2004;55(1):46-51.
IF: 6.77

Zureik M, Gariépy J, Courbon D, Dartigues JF, Ritchie K, Tzourio C, et al. Alcohol consumption and carotid artery structure in older French adults: the Three-City Study. *Stroke* 2004;35(12):2770-5.
IF: 5.85

Touchon J. Mild cognitive impairment: Therapeutic approaches. *Neurobiol Aging* 2004;25:S26-S26.
IF: 5.31

Stewart R, Powell J, Prince M, Mann A. ACE genotype and cognitive decline in an African-Caribbean population. *Neurobiol Aging* 2004;25(10):1369-75.
IF: 5.31

Funalot B, Courbon D, Brousseau T, Poirier O, Berr C, Cambien F, et al. Genes encoding endothelin-converting enzyme-1 and endothelin-1 interact to influence blood pressure in women: the EVA study. *J Hypertens*. 2004;22(4):739-43.
IF: 5.21

Dauvilliers Y, Maret S, Bassetti C, Carlander B, Billiard M, Touchon J, et al. A monozygotic twin pair discordant for narcolepsy and CSF hypocretin-1. *Neurology* 2004;62(11):2137-8.
IF: 5.06

Dauvilliers Y, Gosselin A, Paquet J, Touchon J, Billiard M, Montplaisir J. Effect of age on MSLT results in patients with narcolepsy-cataplexy. *Neurology* 2004;62(1):46-50.

IF: 5.06

Dauvilliers Y, Cervena K, Carlander B, Espa F, Bassetti C, Claustrat B, et al. Dissociation in circadian rhythms in a pseudohypersomnia form of fatal familial insomnia. *Neurology* 2004;63(12):2416-8.

IF: 5.06

Astruc B, Torres S, Jollant F, Jean-Baptiste S, Castelnaud D, Malafosse A, et al. A history of major depressive disorder influences intent to die in violent suicide attempters. *J Clin Psychiat* 2004;65(5):690-5.

IF: 5.03

Ritchie K, Artero S, Beluche I, Ancelin ML, Mann A, Dupuy AM, et al. Prevalence of DSM-IV psychiatric disorder in the French elderly population. *Brit J Psychiat*. 2004;184:147-52.

IF: 4.95

Proudfoot J, Ryden C, Everitt B, Shapiro DA, Goldberg D, Mann A, et al. Clinical efficacy of computerised cognitive-behavioural therapy for anxiety and depression in primary care: randomised controlled trial. *Brit J Psychiat*. 2004;185:46-54.

IF: 4.95

McCrone P, Knapp M, Proudfoot J, Ryden C, Cavanagh K, Shapiro DA, Mann A, et al. Cost-effectiveness of computerised cognitive-behavioural therapy for anxiety and depression in primary care: randomised controlled trial. *Brit J Psychiat*. 2004;185:55-62.

IF: 4.95

Mas C, Taske N, Deutsch S, Guipponi M, Thomas P, Covanis A, Malafosse A, et al. Association of the connexin36 gene with juvenile myoclonic epilepsy. *J Med Genet* 2004;41(7):e93.

IF: 4.33

Winblad B, Palmer K, Kivipelto M, Jelic V, Fratiglioni L, Wahlund LO, Ritchie K, et al. Mild cognitive impairment--beyond controversies, towards a consensus: report of the International Working Group on Mild Cognitive Impairment. *J Intern Med*. 2004;256(3):240-6.

IF: 4.04

Leboyer M, Slama F, Malafosse A, Courtet P, Bellivier F. Disentangling genotypic and phenotypic heterogeneity of violent suicidal behavior. *Int J Neuropsychoph*. 2004;7:S56-S57.

IF: 3.98

Leboyer M, Henry C, Mathieu F, Etain B, Malafosse A, Bellivier F. Genetic analysis of early onset bipolar affective disorder. *Int J Neuropsychoph*. 2004;7:S126-S126.

IF: 3.98

Jollant F, Bellivier F, Leboyer M, Castelnaud D, Malafosse A, Courtet P. Endophenotype of suicidal behavior: Decision-making and its genetic modulation. *Int J Neuropsychoph*.2004;7:S355-S356.

IF: 3.98

Courtet P, Bellivier F, Jollant F, Slama F, Castelnaud D, Leboyer M, et al. Molecular genetics of suicidal behavior: State-of-the-art and new tools. *Int J Neuropsychoph*..2004;7:S7-S7.

IF: 3.98

Ringa V, Legare F, Dodin S, Norton J, Godin G, Breart G. Hormone therapy prescription among physicians in France and Quebec. *Age Distribution* 2004;11(1):89-97.

IF: 3.91

Courtet P, Jollant F, Castelnaud D, Astruc B, Buresi C, Malafosse A. [Implication of genes of the serotonergic system on vulnerability to suicidal behavior]. *J Psychiatr Neurosci*. 2004;29(5):350-9.

IF: 3.91

Badiou S, Merle De Boever C, Dupuy AM, Baillat V, Cristol JP, Reynes J. Fenofibrate improves the atherogenic lipid profile and enhances LDL resistance to oxidation in HIV-positive adults. *Atherosclerosis* 2004;172(2):273-9.

IF: 3.77

Voisin T, Reynish E, Portet E, Feldman H, Vellas B. What are the treatment options for patients with severe Alzheimer's disease? *CNS Drugs* 2004;18(9):575-83.

IF: 3.67

Malatesta D, Simar D, Dauvilliers Y, Candau R, Ben Saad H, Prefaut C, et al. Aerobic determinants of the decline in preferred walking speed in healthy, active 65- and 80-year-olds. *Pflug Arch Eur J Phy*.2004;447(6):915-21.

IF: 3.56

Walters P, Moran P, Choudhury P, Lee T, Mann A. Screening for personality disorder: a comparison of personality disorder assessment by patient and informants. *Int J Methods Psychiatr Res* 2004;13(1):34-9.

IF: 3.55

Jollant F, Buresi C, Baud P, Bellivier F, Leboyer M, Malafosse A, et al. Decision-making and its genetic modulation in suicidal behaviour. *Am J Med Genet B*. 2004;130B(1):39-39.

IF: 3.52

Henrichsen CN, Delorme R, Boucherie M, Marelli D, Baud P, Bellivier F, Courtet P, Malafosse A, et al. No association between DUP25 and anxiety disorders. *Am J Med Genet B* 2004;128(1):80-3.

IF: 3.52

Etain B, Rousseva A, Roy I, Henry C, Malafosse A, Buresi C, et al. Lack of association between 5HT2A receptor gene haplotype, bipolar disorder and its clinical subtypes in a West European sample. *Am J Med Genet B*. 2004;129(1):29-33.

IF: 3.52

Courtet P, Bellivier F, Baud P, Buresi C, Jollant F, Leboyer M, et al. Interaction of childhood trauma and TPH1 gene in suicidal behaviour. *Am J Med Genet B*. 2004;130B(1):39-39.

IF: 3.52

Buresi C, Courtet P, Bellivier F, Jollant F, Leboyer M, Malafosse A. Neuronal tryptophan hydroxylase (TPH2) gene and suicidal behaviour. *Am J Med Genet B*. 2004;130B(1):35-36.

IF: 3.52

Bellivier F, Chaste P, Malafosse A. Association between the TPH gene A218C polymorphism and suicidal behavior: a meta-analysis. *Am J Med Genet B*. 2004;124(1):87-91.

IF: 3.52

Cervena K, Dauvilliers Y, Espa F, Touchon J, Matousek M, Billiard M, et al. Effect of cognitive behavioural therapy for insomnia on sleep architecture and sleep EEG power spectra in psychophysiological insomnia. *J Sleep Res*. 2004;13(4):385-93.

IF: 3.32

Cervilla J, Prince M, Joels S, Lovestone S, Mann A. Premorbid cognitive testing predicts the onset of dementia and Alzheimer's disease better than and independently of APOE genotype. *J Neurol Neurosur Ps*. 2004;75(8):1100-6.

IF: 3.12

Artero S, Tiemeier H, Prins ND, Sabatier R, Breteler MM, Ritchie K. Neuroanatomical localisation and clinical correlates of white matter lesions in the elderly. *J Neurol Neurosur Ps* 2004;75(9):1304-8.

IF: 3.12

Desmeules S, Levesque R, Jaussett I, Leray-Moragues H, Chalabi L, Canaud B. Creatinine index and lean body mass are excellent predictors of long-term survival in haemodiafiltration patients. *Nephrol Dial Transpl*. 2004;19(5):1182-9.

IF: 2.97

Boulier A, Jaussett I, Terrier N, Maurice F, Rivory JP, Chalabi L, et al. Measurement of circulating troponin Ic enhances the prognostic value of C-reactive protein in haemodialysis patients. *Nephrol Dial Transpl*. 2004;19(9):2313-8.

IF: 2.97

Lloyd K, Mann A. Explanatory models as determinants of the outcome of common mental disorders in primary care. *Acta Psychiatr Scand*. 2004;110:55-55.

IF: 2.96

Blain H, Carriere I, Favier F, Jeandel C, Papoz L. Body weight change since menopause and percentage body fat mass are predictors of subsequent bone mineral density change of the proximal femur in women aged 75 years and older: results of a 5 year prospective study. *Calcified Tissue Int* 2004;75(1):32-9.

IF: 2.48

Tiahou G, Maire B, Dupuy A, Delage M, Vernet MH, Mathieu-Daude JC, et al. Lack of oxidative stress in a selenium deficient area in Ivory Coast--potential nutritional antioxidant role of crude palm oil. *Eur J Nutr.* 2004;43(6):367-74.

IF: 2.25

Liu SI, Mann A, Cheng A, Tjung JJ, Hwang LC. Identification of common mental disorders by general medical doctors in Taiwan. *Gen Hosp Psychiat.* 2004;26(4):282-288.

IF: 2.24

Scali J, Siari S, Grosclaude P, Gerber M. Dietary and socio-economic factors associated with overweight and obesity in a southern French population. *Public Health Nutr.* 2004;7(4):513-22.

IF: 1.91

Lambert JC, Berr C, Cottel D, Amouyel P, Helbecque N. APOE promoter polymorphisms and dementia in the elderly. *Neurosci Lett.* 2004;365(2):116-9.

IF: 1.89

Helbecque N, Cottel D, Codron V, Berr C, Amouyel P. Paraoxonase 1 gene polymorphisms and dementia in humans. *Neurosci Lett.* 2004;358(1):41-4.

IF: 1.89

Tsuno N, Shigeta M, Hyoki K, Faber PL, Lehmann D. Fluctuations of source locations of EEG activity during transition from alertness to sleep in Alzheimer's disease and vascular dementia. *Neuropsychobiology* 2004;50(3):267-72.

IF: 1.78

Symons L, Tylee A, Mann A, Jones R, Plummer S, Walker M, et al. Improving access to depression care: descriptive report of a multidisciplinary primary care plot service. *Brit J Gen Pract* 2004;54(506):679-683.

IF: 1.73

Berr C, Richard MJ, Gourlet V, Garrel C, Favier A. Enzymatic antioxidant balance and cognitive decline in aging--the EVA study. *Eur J Epidemiol.* 2004;19(2):133-8.

IF: 1.36

Norton J, de Roquefeuil G, Benjamins A, Boulenger JP, Mann A. Psychiatric morbidity, disability and service use amongst primary care attenders in France. *Eur Psychiat.* 2004;19(3):164-7.

IF: 1.27

Courtet P, Jollant F, Bellivier F, Alter C, Buresi C, Castelnaud D, et al. Impaired decision-making in suicide attempters. *Eur Psychiat.* 2004;19:43S-43S.

IF: 1.27

Boulenger JP. Residual symptoms of depression: clinical and theoretical implications. *Eur Psychiat.* 2004;19(4):209-13.

IF: 1.27

Bellivier F, Courtet P, Slama F, Laplanche JL, Mathieu F, Leboyer M, et al. Suicidal behavior: Interaction between tryptophane hydroxylase and serotonin transporter genes. *Eur Psychiat* 2004;19:44S-44S.

IF: 1.27

Baud P, Buresi C, Malafosse A. Association of anger-related traits and TPH gene in suicide attempters. *Eur Psychiat.* 2004;19:113S-113S.

IF: 1.27

Amamra N, Berr C, Clavel-Chapelon F, Delcourt C, Delmas PD, Derriennic F, et al. Estimated number of women likely to benefit from bone mineral density measurement in France. *Joint Bone Spine* 2004;71(5):409-18.

IF: 1.10

Baumann CR, Dauvilliers Y, Mignot E, Bassetti CL. Normal CSF hypocretin-1 (orexin A) levels in dementia with Lewy bodies associated with excessive daytime sleepiness. *Eur Neurol* 2004;52(2):73-6.

IF: 1.05

Ritchie K. Cognitive disability and ageing. *J Intell Disabil Res.* 2004;48:284-284.

IF: 1.04

Carriere I, Bouyer J, Favier F, Colvez A. Modèles à effets aléatoires pour réponses ordinales. Application à l'évolution de l'incapacité chez les personnes âgées. *Rev Epidemiol Sante.* 2004;52:1S43.

IF: 0.77

Cressie N, Richardson S, Jaussent I. Ecological bias: Use of maximum-entropy approximations. *Aust NZ J Psychiat*. 2004;46(2):233-255.

IF: 0.57

Alperovitch A, Schwarzsinger M, Dufouil C, Dartigues JF, Ritchie K, Tzourio C. Towards a prevention of dementia? *Rev Neurol*. 2004;160(2):256-60.

IF: 0.44

Dauvilliers Y, Carlander B, Billiard M. Narcolepsy, from Westphal to hypocretin. *Presse Med*. 2004;33(22):1593-600.

IF: 0.38

Hales A, Karshmer JF, Williams J, Mann A, Robbins LK. Preparing for prescriptive privileges: a standard for the psychiatric-mental health preceptorship. *Perspect Psychiatr C* 2004;40(3):93-103.

IF: 0.06

Barberger-Gateau P, Berr C. Nutrition et risque de démence: données des études épidémiologiques Paquid et Eva, 2004; 15(3): 133-138. *Age & Nutrition* 2004;15(3):133-138.

Besset A. Exploration de la somnolence. *Médecine du sommeil* 2004;2:15-21.

Larrieu S, Letenneur L, Berr C, Dartigues JF, Ritchie K, Alperovitch A, et al. Sociodemographic differences in dietary habits in a population-based sample of elderly subjects: the 3C study. *J Nutr Health Aging* 2004;8(6):497-502.

Larrieu S, Peres K, Letenneur L, Berr C, Dartigues JF, Ritchie K, et al. Relationship between body mass index and different domains of disability in older persons: the 3C study. *Int J Obesity Related Metabolism Disorders* 2004;28(12):1555-60.

Ritchie K. Mild Cognitive Impairment an epidemiological perspective. *Dialogues Clin Neurosci*. 2004;6(4):333-340.

Terrier N, Bonardet A, Descomps B, Cristol JP, Dupuy AM. Determination of beta2-microglobulin in biological samples using an immunoenzymometric assay (chemiluminescence detection) or an immunoturbidimetric assay: comparison with a radioimmunoassay. *Clin Lab* 2004;50(11-12):675-83.

2005

Maret S, Franken P, Dauvilliers Y, Ghyselinck NB, Chambon P, Tafti M. Retinoic acid signaling affects cortical synchrony during sleep. *Science* 2005;310(5745):111-3.

IF: 30.92

Jollant E, Bellivier F, Leboyer M, Astruc B, Torres S, Verdier R, et al. Impaired decision making in suicide attempters. *Am J Psychiat*. 2005;162(2):304-10.

IF: 8.28

Avignon A, Sultan A, Piot C, Elaerts S, Cristol JP, Dupuy AM. Osteoprotegerin is associated with silent coronary artery disease in high-risk but asymptomatic type 2 diabetic patients. *Diabetes Care* 2005;28(9):2176-80.

IF: 7.84

Akbaraly NT, Arnaud J, Hininger-Favier I, Gourlet V, Roussel AM, Berr C. Selenium and mortality in the elderly: results from the EVA study. *Clin Chem*. 2005;51(11):2117-23.

IF: 7.71

Slama F, Courtet P, Mathieu F, Bellivier F, Leboyer M, Malafosse A. Association between childhood physical neglect and serotonin transporter gene polymorphism among patients with a history of suicide attempt. *Biol Psychiat*. 2005;57(8):116S-116S.

IF: 6.77

Bellivier F, Courtet P, Buresi C, Mathieu F, Roy I, Slama F, et al. Interaction between tryptophan hydroxylase and serotonin transporter genes for the risk of suicidal behavior. *Biol Psychiat* 2005;57(8):116S-116S.

IF: 6.77

Sarazin M, Stern Y, Berr C, Riba A, Albert M, Brandt J, et al. Neuropsychological predictors of dependency in patients with Alzheimer disease. *Neurology* 2005;64(6):1027-31.

IF: 5.06

Montplaisir JY, Whittom S, Montreal MM, Dang-Vu T, Dauvilliers Y, Rompre S. Periodic leg movements during sleep and waking in narcolepsy. *Neurology* 2005;64(6):A43-A43.

IF: 5.06

Dufouil C, Richard F, Fievet N, Dartigues JF, Ritchie K, Tzourio C, et al. APOE genotype, cholesterol level, lipid-lowering treatment, and dementia: the Three-City Study. *Neurology* 2005;64(9):1531-8.

IF: 5.06

Berr C, Bonenfant S, Vercambre MN, Zins M. Long-term occupational exposures and risk of cognitive impairment - preliminary results from the GAZEL cohort. *Neurology* 2005;64(6):A364-A364.

IF: 5.06

Tsuno N, Besset A, Ritchie K. Sleep and depression. *J Clin Psychiat* 2005;66(10):1254-69.

IF: 5.03

Montgomery SA, Nil R, Durr-Pal N, Loft H, Boulenger JP. A 24-week randomized, double-blind, placebo-controlled study of escitalopram for the prevention of generalized social anxiety disorder. *J Clin Psychiat*. 2005;66(10):1270-8.

IF: 5.03

Montplaisir JY, Whittom S, Rompre S, Dang-Vu T, Dauvilliers Y, Lavigne G. Prevalence and functional significance of periodic leg movements in narcolepsy. *Sleep* 2005;28:A222-A222.

IF: 4.95

Gauthier S, Touchon J. Mild cognitive impairment is not a clinical entity and should not be treated. *Arch Neurol*. 2005;62(7):1164-6; discussion 1167.

IF: 4.90

Ancelin ML, Ritchie K. Lifelong endocrine fluctuations and related cognitive disorders. *Curr Pharm Design* 2005;11(32):4229-52.

IF: 4.82

Courtet P, Jollant F, Castelnau D, Buresi C, Malafosse A. Suicidal behavior: relationship between phenotype and serotonergic genotype. *Am J Med Genet C*. 2005;133(1):25-33.

IF: 4.26

Malafosse A. Genetics of suicidal behavior. *Am J Med Genet C*. 2005;133(1):1-2.

IF: 4.26

Dauvilliers Y, Maret S, Tafti M. Genetics of normal and pathological sleep in humans. *Sleep Med Rev*. 2005;9(2):91-100.

IF: 3.96

Tafti M, Maret S, Dauvilliers Y. Genes for normal sleep and sleep disorders. *Ann Med* 2005;37(8):580-9.

IF: 3.84

Berr C, Wancata J, Ritchie K. Prevalence of dementia in the elderly in Europe. *Eur Neuropsychopharmacol*. 2005;15(4):463-71.

IF: 3.51

Delcourt C, Dupuy AM, Carriere I, Lacroux A, Cristol JP. Albumin and transthyretin as risk factors for cataract: the POLA study. *Arch Ophthalmol*. 2005;123(2):225-32.

IF: 3.27

Salzmann A, Moulard B, Crespel A, Baldy-Moulinier M, Buresi C, Malafosse A. GABA receptor 1 polymorphism (G1465A) and temporal lobe epilepsy. *Epilepsia* 2005;46(6):931-3.

IF: 3.22

Terrier N, Dupuy AM, Jaussent I, Leray H, Morena M, Delcourt C, et al. Cytokine panel, acute phase proteins or lean body mass: Which is the more relevant biological index to assess the severity of Malnutrition Inflammation Complex Syndrome? *Nephrol Dial Transpl*. 2005;20:V136-V136.

IF: 2.97

Dupuy AM, Terrier N, Morena M, Jaussent I, Chalabi L, Rouanet C, et al. Osteoprotegerin is a strong predictor of mortality in hemodialysis patients: A potential link between bone and vascular diseases. *Nephrol Dial Transpl*. 2005;20:V298-V298.

IF: 2.97

Bullock R, Touchon J, Bergman H, Gambina G, He Y, Rapatz G, et al. Rivastigmine and donepezil treatment in moderate to moderately-severe Alzheimer's disease over a 2-year period. *Curr Med Res Opin.* 2005;21(8):1317-27.

IF: 2.94

Carriere I, Colvez A, Favier F, Jeandel C, Blain H. Hierarchical components of physical frailty predicted incidence of dependency in a cohort of elderly women. *J Clin Epidemiol.* 2005;58(11):1180-7.

IF: 2.53

Maimoun L, Couret I, Mariano-Goulart D, Dupuy AM, Micallef JP, Peruchon E, et al. Changes in osteoprotegerin/RANKL system, bone mineral density, and bone biochemicals markers in patients with recent spinal cord injury. *Calcified Tissue Int.* 2005;76(6):404-11.

IF: 2.48

Delcourt C, Lacroux A, Carriere I. The three-year incidence of age-related macular degeneration: the "Pathologies Oculaires Liees a l'Age" (POLA) prospective study. *Am J Ophthalmol* 2005;140(5):924-6.

IF: 2.39

Courtet P, Jollant F, Buresi C, Castelnau D, Mouthon D, Malafosse A. The monoamine oxidase A gene may influence the means used in suicide attempts. *Psychiat Genet.* 2005;15(3):189-93.

IF: 2.36

Lechevallier-Michel N, Gautier-Bertrand M, Alperovitch A, Berr C, Belmin J, Legrain S, et al. Frequency and risk factors of potentially inappropriate medication use in a community-dwelling elderly population: results from the 3C Study. *Eur J Clin Pharmacol.* 2005;60(11):813-9.

IF: 2.29

Jonsson L, Berr C. Cost of dementia in Europe. *Comparative Study* 2005;12 Suppl 1:50-3.

IF: 2.24

Besset A, Espa F, Dauvilliers Y, Billiard M, de Seze R. No effect on cognitive function from daily mobile phone use. *Bioelectromagnetics* 2005;26(2):102-8.

IF: 2.19

Stewart R, Bartlett P, Harwood RH. Mental capacity assessments and discharge decisions. *Age Ageing* 2005;34(6):549-50.

IF: 2.19

Smith SC, Murray J, Banerjee S, Foley B, Cook JC, Lamping DL, Mann A, et al. What constitutes health-related quality of life in dementia? Development of a conceptual framework for people with dementia and their carers. *Int J Geriatr Psych.* 2005;20(9):889-95.

IF: 2.16

Shin IS, Stewart R, Kim JM, Kim SW, Yang SJ, Shin HY, et al. Mitochondrial aldehyde dehydrogenase polymorphism is not associated with incidence of Alzheimer's disease. *Int J Geriatr Psych.* 2005;20(11):1075-1080.

IF: 2.16

Mitter P, Reeves S, Romero-Rubiales F, Bell P, Stewart R, Howard R. Migrant status, age, gender and social isolation in very late-onset schizophrenia-like psychosis. *Int J Geriatr Psych.* 2005;20(11):1046-1051.

IF: 2.16

Barberger-Gateau P, Jutand MA, Letenneur L, Larrieu S, Tavernier B, Berr C. Correlates of regular fish consumption in French elderly community dwellers: data from the Three-City study. *Eur J Clin Nutr.* 2005;59(7):817-25.

IF: 2.16

Dauvilliers Y, Morin C, Cervena K, Carlander B, Touchon J, Besset A, et al. Family studies in insomnia. *J Psychosom Res.* 2005;58(3):271-8.

IF: 2.05

Maggiore U, Cristol JP, Canaud B, Dupuy AM, Formica M, Pozzato M, et al. Comparison of 3 automated assays for C-reactive protein in end-stage renal disease: clinical and epidemiological implications. *J Lab Clin Med.* 2005;145(6):305-8.

IF: 2.02

Akwa Y, Allain H, Bentue-Ferrer D, Berr C, Bordet R, Geerts H, et al. Neuroprotection and neurodegenerative diseases: from biology to clinical practice. *Alz Dis Assoc Dis.* 2005;19(4):226-39.

IF: 2.02

Gayet-Ageron A, Amamra N, Ringa V, Tainturier V, Berr C, Clavel-Chapelon F, et al. Estimated numbers of postmenopausal women treated by hormone therapy in France. *Maturitas* 2005;52(3-4):296-305.

IF: 2.00

Dupuy AM, Lehmann S, Cristol JP. Protein biochip systems for the clinical laboratory. *Clin Chem Lab Med*. 2005;43(12):1291-302.

IF: 1.91

Coudene P, Marson B, Badiou S, Flavier S, Anelli S, Cristol JP, Dupuy AM, et al. Evaluation of the ABX Pentra 400: a newly available clinical chemistry analyser. *Clin Chem Lab Med* 2005;43(7):782-92.

IF: 1.91

Simar D, Malatesta D, Dauvilliers Y, Prefaut C, Varray A, Caillaud C. Aerobic and functional capacities in a selected active population of European octogenarians. *Int J Sports Med*. 2005;26(2):128-33.

IF: 1.43

Etter JF, Neidhart E, Bertrand S, Malafosse A, Bertrand D. Collecting saliva by mail for genetic and cotinine analyses in participants recruited through the Internet. *Eur J Epidemiol*. 2005;20(10):833-8.

IF: 1.36

Malafosse A. Serotonergic genes influence suicidal behaviour. *Eur Psychiat* 2005;20:S106-S106.

IF: 1.27

Favier F, Jausset I, Moullec NL, Debussche X, Boyer MC, Schwager JC, et al. Prevalence of Type 2 diabetes and central adiposity in La Reunion Island, the REDIA Study. *Diabetes Res Clin Pr* 2005;67(3):234-42.

IF: 1.23

Patel A, Rendu A, Moran P, Leese M, Mann A, Knapp M. A comparison of two methods of collecting economic data in primary care. *Fam Pract*. 2005;22(3):323-7.

IF: 1.16

Fontenot MB, Padgett EE, 3rd, Dupuy AM, Lynch CR, De Petrillo PB, Higley JD. The effects of fluoxetine and buspirone on self-injurious and stereotypic behavior in adult male rhesus macaques. *Comparative Med*. 2005;55(1):67-74.

IF: 1.08

Olejnik Y, Elaerts S, Bonardet A, Chong G, Mourad G, Cristol JP, Dupuy AM, et al. Preliminary evaluation of a new chemiluminescence assay (Liaison Cyclosporine; DiaSorin Laboratories) allowing both C0 and C2 cyclosporine levels determination: comparison with RIA method. *Transpl P*. 2005;37(1):172-4.

IF: 0.79

Elaerts S, Olejnik Y, Bonardet A, Garrigue V, Mourad G, Cristol JP, Dupuy AM, et al. The V-twin system (Dade Behring Laboratories): a useful tool for immunosuppressive drug monitoring. *Transpl P*. 2005;37(1):167-71.

IF: 0.79

Badiou S, Perez V, Dupuy AM, Deswarte G, Frapier JM, Albat B, et al. High prevalence of small dense LDL as an underestimated component of heart transplantation-induced dyslipidemia: potential role in graft coronary vasculopathy? *Transpl P*. 2005;37(6):2877-8.

IF: 0.79

Courtet P, Misdrahi D. [Treatment of major depressive disorder. What is the risk/benefit ratio of long term antidepressors?]. *Encephale* 2005;31 Pt 3:S53-4.

IF: 0.48

Courtet P, Misdrahi D. What beneficial/risky reports of antidepressants in the long run? *Encephale* 2005;31:S53-S54.

IF: 0.48

Boulenger JP. Evolution of the rules of prescription: a very current debate. *Encephale* 2005;31(3):379-381.

IF: 0.48

Vellas B, Gauthier S, Allain H, Andrieu S, Aquino JP, Berrut G, Touchon J, et al. Consensus statement on severe dementia. *Rev Neurol*. 2005;161(8-9):868-877.

IF: 0.44

Cowppli-Bony P, Fabrigoule C, Letenneur L, Ritchie K, Alperovitch A, Dartigues JF, et al. Validity of the five-word screening test for Alzheimer's disease in a population based study. *Rev Neurol*. 2005;161(12 Pt 1):1205-12.

IF: 0.44

Benoit M, Brocker P, Clement JP, Cnockaert X, Hinault P, Nourashemi F, Portet F, et al. Behavioral and psychological symptoms in dementia: description and management. *Rev Neurol*. 2005;161(3):357-66.

IF: 0.44

Lechevallier-Michel N, Berr C, Fourrier-Reglat A. Incidence and characteristics of benzodiazepine use in an elderly cohort: the EVA study. *Therapie* 2005;60(6):561-6.

IF: 0.35

Touchon J. Frontal syndrome of chronic hydrocephalus in adults. *Neurochirurgie* 2005;51(1):41-2.

IF: 0.19

Bargnoux AS, Dupuy AM, Biron-Andreani C, Schved JF, Cristol JP. Immunonephelometric determination of fibrinogen on citrated or heparinized plasma: comparison with functional Clauss method. *Clin Lab*. 2005;51(5-6):285-8.

Boularan AM, Dupuy AM, Cristol JP. Validation of particular analyses on ABX Pentra 400 in comparison with Cobas Mira. *Clin Chim Acta* 2005;355:S228-S228.

Dauvilliers Y, Buguet A. Hypersomnia. *Dialogues Clin Neurosci* 2005;7(4):347-56.

Elaerts S, Sultan A, Dupuy AM, Piot C, Renard E, Cristol JP, et al. Preliminary evaluation of inflammation, adipokine and osteoprotegerin in diabetes with or without coronary artery disease. *Clin Chim Acta* 2005;355:S195-S195.

Morena M, Delbosc S, Dupuy AM, Canaud B, Cristol JP. Overproduction of reactive oxygen species in end-stage renal disease patients: a potential component of hemodialysis-associated inflammation. *Hemodial Int*. 2005;9(1):37-46.

Portet F, Ousset PJ, Touchon J. What is a mild cognitive impairment? *Rev Prat*. 2005;55(17):1891-4.

Preisig M, Ferrero F, Malafosse A. Monoamine oxidase a and tryptophan hydroxylase gene polymorphisms: are they associated with bipolar disorder? *Am J Pharmacogenomics* 2005;5(1):45-52.

Proudfoot J, Ryden C, Goldberg D, Tylee A, Everett B, Mann A, et al. 'Beating the Blues': A computer CBT program for anxiety and depression. *Aust J Psychol*. 2005;57:245-245.

Roudiere L, Boularan AM, Dupuy AM, Vallat C, Cristol JP. Evaluation of capillary zone electrophoresis system versus a conventional agarose gel system for routine serum protein separation and monoclonal component typing. *Clin Chim Acta* 2005;355:S231-S232.

Smith SC, Lamping DL, Banerjee S, Harwood R, Foley B, Smith P, Mann A, et al. Measurement of health-related quality of life for people with dementia: development of a new instrument (DEMQOL) and an evaluation of current methodology. *Health Technol Asses* 2005;9(10):1-+.

Stengel B, Jaussent I, Guiserix J, Bourgeon B, Papoz L, Favier F, et le groupe de l'étude Rédia. Prévalence élevée de maladie rénale chronique à l'Ile de la Réunion: Etude REDIA (REunion-DIAbete) Study 1999-2001. *Bulletin Epidemiologique Hebdomadaire(BEH)* 2005;37-38:193-194.

Terrier N, Dupuy AM, Jaussent I, Leroy H, Morena M, Delcourt C, et al. Cytokine panel determination (Randox-Investigator (R)): A useful tool to assess the severity of malnutrition inflammation complex syndrome (MICS). *Clin Chim Acta* 2005;355:S189-S189.

Terrier N, Morena M, Jaussent I, Delcourt C, Canaud B, Cristol JP, et al. Osteoprotegerin levels, a predictive marker of all-cause and cardiovascular mortality in hemodialysis patients. *Clin Chim Acta* 2005;355:S188-S189.

Terrier N, Senecal L, Dupuy AM, Jaussent I, Delcourt C, Leray H, et al. Association between novel indices of malnutrition-inflammation complex syndrome and cardiovascular disease in hemodialysis patients. *Hemodial Int*. 2005;9(2):159-68.

Vellas B, Gauthier S, Allain H, Andrieu S, Aquino JP, Berrut G, Touchon J, et al. Consensus statement on dementia of Alzheimer type in the severe stage. *J Nutr Health Aging*. 2005;9(5):330-8.

2006

Gauthier S, Reisberg B, Zaudig M, Petersen RC, Ritchie K, Broich K, et al. Mild cognitive impairment. *Lancet* 2006;367(9518):1262-70.

IF: 23.87

Etain B, Mathieu F, Rietschel M, Maier W, Albus M, McKeon P, Malafosse A, et al. Genome-wide scan for genes involved in bipolar affective disorder in 70 European families ascertained through a bipolar type I early-onset proband: supportive evidence for linkage at 3p14. *Mol Psychiatr*. 2006;11(7):685-94.

IF: 9.33

Stewart R. Mental health legislation and decision making capacity - Autonomy in Alzheimer's disease is ignored and neglected. *Brit Med J*. 2006;332(7533):118-119.

IF: 9.05

Ancelin ML, Artero S, Portet F, Dupuy AM, Touchon J, Ritchie K. Non-degenerative mild cognitive impairment in elderly people and use of anticholinergic drugs: longitudinal cohort study. *Brit Med J*. 2006;332(7539):455-9.

IF: 9.05

Giuliani I, Rieunier F, Larue C, Delagneau JF, Granier C, Pau B, Dupuy AM, et al. Assay for measurement of intact B-type natriuretic peptide prohormone in blood. *Clin Chem*. 2006;52(6):1054-61.

IF: 7.71

Dauvilliers Y. Follow-up of four narcolepsy patients treated with intravenous immunoglobulins. *Ann Neurol*. 2006;60(1):153.

IF: 7.57

Morena M, Terrier N, Jaussent I, Leray-Moragues H, Chalabi L, Rivory JP, et al. Plasma osteoprotegerin is associated with mortality in hemodialysis patients. *J Am Soc Nephrol* 2006;17(1):262-70.

IF: 7.24

Delorme R, Durand CM, Betancur C, Wagner M, Ruhrmann S, Grabe HJ, Courtet P, Jollant F, Malafosse A, et al. No human tryptophan hydroxylase-2 gene R441H mutation in a large cohort of psychiatric patients and control subjects. *Biol Psychiat*. 2006;60(2):202-3.

IF: 6.77

Bellivier F, Leroux M, Etain B, Golmard JL, Grigoriu-Serbanescu M, Henry C, Malafosse A, et al. Suicidal behavior and age at onset in bipolar affective disorder: Methodological issues. *Biol Psychiat*. 2006;59(8):43S-43S.

IF: 6.77

Debette S, Lambert JC, Garipey J, Fievet N, Tzourio C, Dartigues JF, Ritchie K, Dupuy AM, et al. New insight into the association of apolipoprotein E genetic variants with carotid plaques and intima-media thickness. *Stroke* 2006;37(12):2917-23.

IF: 5.85

Vellas B, Andrieu S, Berrut G, Dartigues JF, Dubois B, Grandjean H, Touchon J, et al. A 5-year double blind, randomised trial on EGB 761 (R) efficacy on the prevention of Alzheimer dementia in patients over 70 with memory complaint: Guidage study. *Neurobiol Aging* 2006;27:S22-S22.

IF: 5.31

Touchon J. The design of prospective trials in prevention of AD - An analysis of the various trials implemented. *Neurobiol Aging* 2006;27:S21-S21.

IF: 5.31

Brindel P, Hanon O, Dartigues JF, Ritchie K, Lacombe JM, Ducimetiere P, et al. Prevalence, awareness, treatment, and control of hypertension in the elderly: the Three City study. *J Hypertens*. 2006;24(1):51-8.

IF: 5.21

Touchon J, Portet F, Gauthier S. Prevention trials in Alzheimer disease: One step forward? *Neurology* 2006;67(9 Suppl 3):S21-2.

IF: 5.06

Godin O, Dufouil C, Ritchie K, Dartigues JF, Tzourio C, Alperovitch A. Association between depressive symptoms, major depressive episode and cognitive deficits in the elderly. The 3C study. *Neurology* 2006;66(5):A218-A219.

IF: 5.06

Dufouil C, Letenneur L, Ritchie K, Tzourio C, Dartigues JF. The protective effect of moderate alcohol intake on dementia risk revisited: Evidence from the 3C study. *Am J Epidemiol.* 2006;163(11):S240-S240.

IF: 5.06

Franken P, Maret S, Dauvilliers Y, Ghyselinck NB, Chambon P, Tafti M. Rarb gene affects cortical synchrony during sleep. *Sleep* 2006;29:A362-A362.

IF: 4.95

Stewart R. Hypertension and depression in late life. *Brit J Psychiat.* 2006;188:85-85.

IF: 4.95

Moran P, Coffey C, Mann A, Carlin JB, Patton GC. Personality and substance use disorders in young adults. *Brit J Psychiat.* 2006;188:374-9.

IF: 4.95

Mogga S, Prince M, Alem A, Kebede D, Stewart R, Glozier N, et al. Outcome of major depression in Ethiopia: population-based study. *Brit J Psychiat.* 2006;189:241-6.

IF: 4.95

Kim JM, Stewart R, Kim SW, Yang SJ, Shin IS, Yoon JS. Vascular risk factors and incident late-life depression in a Korean population. *Brit J Psychiat.* 2006;189:26-30.

IF: 4.95

Harland R, Broome M, Antonova L, Owen G, Deeley Q, Mann A, et al. A study of Maudsley psychiatrists' views on the nature of mental illness including schizophrenia. *Schizophr Res.* 2006;81:279-280.

IF: 4.23

Karege F, Perroud N, Burkhardt S, La Harpe R, Malafosse A. Change in kinase activity of Akt and GSK-3SS in ventral prefrontal cortex of depressed suicide victims. *Int J Neuropsychoph.* 2006;9:S228-S228.

IF: 3.98

Jollant F, Guillaume S, Castelnaud D, Malafosse A, Courtet P. Is knowing the advantageous strategy sufficient to make advantageous decisions? A study in healthy subjects and suicide attempters. *Int J Neuropsychoph.* 2006;9:S111-S111.

IF: 3.98

Guillaume S, Jollant F, Malafosse A, Castelnaud D, Courtet P. Emotional reactivity and decision making in suicide attempters. *Int J Neuropsychoph.* 2006;9:S111-S111.

IF: 3.98

Boulenger JP, Huusom AKT, Florea I. Long-term treatment with escitalopram and paroxetine in severe major depression. *Int J Neuropsychoph.* 2006;9:S182-S182.

IF: 3.98

Dauvilliers Y, Tafti M. Molecular genetics and treatment of narcolepsy. *Ann Med.* 2006;38(4):252-62.

IF: 3.84

Delcourt C, Carriere I, Delage M, Barberger-Gateau P, Schalch W. Plasma lutein and zeaxanthin and other carotenoids as modifiable risk factors for age-related maculopathy and cataract: the POLA Study. *Invest Opth Vis Sci.* 2006;47(6):2329-35.

IF: 3.64

Malafosse A, Jaussent I, Jollant F, Perroud N, Baud P, Buresi C, et al. Influence of sexual abuse on suicidality: Modulation by polymorphisms in the 5-HTT and the Th1 gene. *Am J Med Genet B.* 2006;141B(7):725-725.

IF: 3.52

Malafosse A, Jaussent I, Jollant F, Perroud N, Baud P, Buresi C, et al. Influence of sexual abuse on suicidality: Modulation by polymorphisms in the 5-HTT and the Th1 gene. *Am J Med Genet B.* 2006;141B(7):733-733.

IF: 3.52

Courtet P, Jollant F, Perroud N, Buresi C, Malafosse A. Relationship of serotonin transporter gene polymorphisms and haplotypes to suicidal behaviour and mRNA transcription. *Am J Med Genet B.* 2006;141B(7):733-733.

IF: 3.52

Baud P, Courtet P, Perroud N, Jollant F, Buresi C. Catechol-O-methyltransferase polymorphism (COMT) in suicide attempters: A possible gender effect on anger traits. *Am J Med Genet B.* 2006;141B(7):734-734.

IF: 3.52

Trouton A, Stewart R, Prince M. Does social activity influence the accuracy of subjective memory deficit? Findings from a British community survey. *J Am Geriatr Soc.* 2006;54(7):1108-1113.

IF: 3.47

Pfister C, Maret S, Abril B, Vienne J, Tafti M, Dauvilliers Y. COMT and SERT genotypes, narcolepsy symptoms, and response to modafinil. *J Sleep Res.* 2006;15:79-79.

IF: 3.32

Maret S, Franken P, Dauvilliers Y, Ghyselinck NB, Chambon P, Tafti M. Retinoid pathway and cortical synchrony during sleep. *J Sleep Res.* 2006;15:66-66.

IF: 3.32

Dauvilliers Y, Paquereau J, Bastuji H, Drouot X, Weil J, Vivet P, et al. The French narcolepsy observatory: an observational study of narcoleptic patients. *J Sleep Res.* 2006;15:32-32.

IF: 3.32

Dauvilliers Y, Pages M, Sirois I, Abril B, Pfister C, Tafti M. HLA and sleep onset REM periods in myotonic dystrophy type 1. *J Sleep Res.* 2006;15:222-222.

IF: 3.32

Cervena K, Boulenger J, Besset A. Insomnia in hospitalised psychiatric patients. *J Sleep Res.* 2006;15:129-129.

IF: 3.32

Ben Cheikh R, Dauvilliers Y, Charif M, Touchon J, Pfister C, Tafti M. Excessive daytime sleepiness and COMT genotypes in patients with parkinsonism. *J Sleep Res.* 2006;15:223-223.

IF: 3.32

Portet F, Ousset PJ, Visser PJ, Frisoni GB, Nobili F, Scheltens P, et al. Mild cognitive impairment (MCI) in medical practice: a critical review of the concept and new diagnostic procedure. Report of the MCI Working Group of the European Consortium on Alzheimer's Disease. *J Neurol Neurosurg Ps.* 2006;77(6):714-8.

IF: 3.12

Banerjee S, Smith SC, Lamping DL, Harwood RH, Foley B, Smith P, Mann A, et al. Quality of life in dementia: more than just cognition. An analysis of associations with quality of life in dementia. *J Neurol Neurosurg Ps.* 2006;77(2):146-8.

IF: 3.12

Morena M, Dupuy AM, Taamma R, Tetta C, Cristol JP, Canaud B. Convective techniques improve middle substances removal: A randomized cross-over study comparing hemodialysis and on line hemodiafiltration using HF80 versus FX80. *Nephrol Dial Transpl.* 2006;21:250-250.

IF: 2.97

Cano NJ, Saingra Y, Dupuy AM, Lorec-Penet AM, Portugal H, Lairon D, et al. Intradialytic parenteral nutrition: comparison of olive oil versus soybean oil-based lipid emulsions. *Brit J Nutr.* 2006;95(1):152-9.

IF: 2.96

Moran P, Coffey C, Mann A, Carlin JB, Patton GC. Dimensional characteristics of DSM-IV personality disorders in a large epidemiological sample. *Acta Psychiatr Scand.* 2006;113(3):233-6.

IF: 2.96

Touchon J, Bergman H, Bullock R, Rapatz G, Nagel J, Lane R. Response to rivastigmine or donepezil in Alzheimer's patients with symptoms suggestive of concomitant Lewy body pathology. *Curr Med Res Opin.* 2006;22(1):49-59.

IF: 2.94

Bullock R, Bergman H, Touchon J, Gambina G, He Y, Nagel J, et al. Effect of age on response to rivastigmine or donepezil in patients with Alzheimer's disease. *Curr Med Res Opin* 2006;22(3):483-94.

IF: 2.94

Boulenger JP, Huusom AK, Florea I, Baekdal T, Sarchiapone M. A comparative study of the efficacy of long-term treatment with escitalopram and paroxetine in severely depressed patients. *Curr Med Res Opin.* 2006;22(7):1331-41.

IF: 2.94

Kim JM, Stewart R, Kim SW, Yang SJ, Shin IS, Yoon JS. A prospective study of changes in subjective memory complaints and onset of dementia in South Korea. *Am J Geriatr Psychiat.* 2006;14(11):949-956.

IF: 2.92

Dujardin K, Devos D, Duhem S, Destee A, Marie RM, Durif F, Touchon J, et al. Utility of the Mattis dementia rating scale to assess the efficacy of rivastigmine in dementia associated with Parkinson's disease. *J Neurol.* 2006;253(9):1154-9.

IF: 2.84

Geny C, Comte F, Gabelle A, Zanca M, Touchon J. Role of dopamine transporter imaging in elderly patients with parkinsonism. *Movement Disord.* 2006;21:S614-S614.

IF: 2.83

Podesta C, Ferreras M, Mozzi M, Bassetti C, Dauvilliers Y, Billiard M. Kleine-Levin syndrome in a 14-year-old girl: CSF hypocretin-1 measurements. *Sleep Med.* 2006;7(8):649-51.

IF: 2.71

Robert PH, Berr C, Volteau M, Bertogliati C, Benoit M, Mahieux F, et al. Neuropsychological performance in mild cognitive impairment with and without apathy. *Dement Geriatr Cogn Disord.* 2006;21(3):192-7.

IF: 2.60

Mas E, Dupuy AM, Artero S, Portet F, Cristol JP, Ritchie K, et al. Functional Vitamin E deficiency in ApoE4 patients with Alzheimer's disease. *Dement Geriatr Cogn Disord.* 2006;21(3):198-204.

IF: 2.60

Artero S, Petersen R, Touchon J, Ritchie K. Revised Criteria for Mild Cognitive Impairment: Validation within a Longitudinal Population Study. *Dement Geriatr Cogn Disord.* 2006;22(5-6):465-70.

IF: 2.60

Middel B, Goudriaan H, De Greef M, Stewart R, van Sonderen E, Bouma J, et al. Recall bias did not affect perceived magnitude of change in health-related functional status. *J Clin Epidemiol.* 2006;59(5):503-511.

IF: 2.53

Arnaud J, Akbaraly NT, Hininger I, Roussel AM, Berr C. Factors associated with longitudinal plasma selenium decline in the elderly: The EVA Study. *J Nutr Biochem.* 2006.

IF: 2.45

Dauvilliers Y. Cataplexy: Clinical challenges, current therapeutics. *Comparative Study* 2006;13:297-297.

IF: 2.24

Billiard M, Bassetti C, Dauvilliers Y, Dolenc-Groselj L, Lammers GJ, Mayer G, et al. EFNS guidelines on management of narcolepsy. *Comparative Study* 2006;13(10):1035-48.

IF: 2.24

Tabet N, Stewart R, Hudson S, Sweeney V, Sauer J, Bryant C, et al. Male gender influences response to an educational package for delirium prevention among older people: a stratified analysis. *Int J Geriatr Psych.* 2006;21(5):493-497.

IF: 2.16

Mak Z, Kim JM, Stewart R. Leg length, cognitive impairment and cognitive decline in an African-Caribbean population. *Int J Geriatr Psych.* 2006;21(3):266-272.

IF: 2.16

Artero S, Astruc B, Courtet P, Ritchie K. LIFe-time history of suicide attempts and coronary artery disease in a community-dwelling elderly population. *Int J Geriatr Psych.* 2006;21(2):108-12.

IF: 2.16

Badiou S, Terrier N, Jaussent I, Naudin E, Maurice F, Dupuy AM, et al. Association of aminothiols with the clinical outcome in hemodialysis patients: comparison of chromatography and immunoassay for homocysteine determination. *Clin Chem Lab Med.* 2006;44(8):949-54.

IF: 1.91

Maimoun L, Manetta J, Couret I, Dupuy AM, Mariano-Goulart D, Micallef JP, et al. The intensity level of physical exercise and the bone metabolism response. *Int J Sports Med*. 2006;27(2):105-11.

IF: 1.43

Stewart R. Adult neurology, 2nd edition. *Int Psychogeriatr*. 2006;18(4):765-766.

IF: 1.21

Shulman KI, Herrmann N, Brodaty H, Chiu H, Lawlor B, Ritchie K, et al. IPA survey of brief cognitive screening instruments. *Int Psychogeriatr*. 2006;18(2):281-94.

IF: 1.21

Ritchie K, Portet F. 'I think therefore I am': improving cognition. *Curr Opin Psychiatr*. 2006;19(6):570-4.

IF: 1.21

Blain H, Carriere I, Peninou G, Micallef JP, Colvez A. Reliability of a new instrument for measuring maximum rising strength. *Am J Phys Med Rehab*. 2006;85(6):502-8.

IF: 1.14

Robert PH, Berr C, Volteau M, Bertogliati C, Benoit M, Sarazin M, et al. Apathy in patients with mild cognitive impairment and the risk of developing dementia of Alzheimer's disease A one-year follow-up study. *Clin Neurol Neurosur*. 2006;108(8):733-736.

IF: 1.08

Bagnoux AS, Dupuy AM, Garrigue V, Deleuze S, Cristol JP, Mourad G. Renal transplantation decreases osteoprotegerin levels. *Transpl P*. 2006;38(7):2317-8.

IF: 0.79

Bagnoux AS, Bonardet A, Chong G, Garrigue V, Deleuze S, Dupuy AM, et al. Evaluation of an immunoassay (Abbott-IMX Analyzer) allowing routine determination of sirolimus: comparison with LC-MS method. *Transpl P*. 2006;38(7):2352-3.

IF: 0.79

Badiou S, Garrigue V, Dupuy AM, Chong G, Cristol JP, Mourad G. Small dense low-density lipoprotein in renal transplant recipients: a potential target for prevention of cardiovascular complications? *Transpl P*. 2006;38(7):2314-6.

IF: 0.79

Carriere I, Bouyer J. Random-effect models for ordinal responses: application to self-reported disability among older persons. *Rev Epidemiol Santé* 2006;54(1):61-72.

IF: 0.77

Artero S, Ancelin ML, Ritchie K. Epidémiologie des maladies mentales dans le grand âge. *Encephale* 2006;32(6):7-10.

IF: 0.48

Ancelin ML, Artero S, Beluche I, Besset A, Boulenger JP, Carriere I, et al. The Esprit project: a longitudinal study on the general population of psychiatric disorders in France in subjects over 65 years of age. *Encephale* 2006;32(cahier 5):615-621.

IF: 0.48

Gaillard N, Charif M, Carlander B, Pujol JL, Touchon J. Chemotherapy treatment for anti-Hu paraneoplastic syndrome without active malignancy. *Rev Neurol*. 2006;162(8-9):862-865.

IF: 0.44

Barberger-Gateau P, Delcourt C, Berr C. Peroxydation lipidique et vieillissement cérébral: apport des études épidémiologiques. *Oléagineux Corps gras Lipides* 2006;13(1):1-5.

Benoit M, Arbus C, Blanchard F, Camus V, Cerase V, Clement JP, Touchon J, et al. Professional consensus on the treatment of agitation, aggressive behaviour, oppositional behaviour and psychotic disturbances in dementia. *J Nutr Health Aging* 2006;10(5):410-5.

Dauvilliers Y. Differential diagnosis in hypersomnia. *Curr Neurol Neurosci Rep*. 2006;6(2):156-62.

Dupuy AM, Terrier N, Dubois M, Boularan AM, Cristol JP. Heparin plasma sampling as an alternative to EDTA for BNP determination on the Access-Beckman Coulter--effect of storage at -20 degrees C. *Clin Lab*. 2006;52(7-8):393-7.

Florea I, Huusom AKT, Baekdal T, Sarchiapone M, Boulenger JP. A comparative study of the efficacy of long-term treatment with escitalopram and paroxetine in severe major depression (MDD). *Nord J Psychiat*. 2006;60(4):330-330.

Graham JE, Ritchie K. Mild cognitive impairment: ethical considerations for nosological flexibility in human kinds. *Philosophy, Psychiatry & Psychology* 2006;13(1):31-43.

Graham JE, Ritchie K. ReIFYing relevance in mild cognitive impairment: an appeal for care and caution. *Philosophy, Psychiatry & Psychology* 2006;13(1):57-60.

Morena M, Bosc JY, Jaussent I, Dupuy AM, Terrier N, Leray-Moragues H, et al. The role of mineral metabolism and inflammation on dialysis vascular access failure. *J Vasc Access* 2006;7(2):77-82.

Roudiere L, Boularan AM, Bonardet A, Vallat C, Cristol JP, Dupuy AM. Evaluation of a capillary zone electrophoresis system versus a conventional agarose gel system for routine serum protein separation and monoclonal component typing. *Clin Lab*. 2006;52(1-2):19-27.

2007

Dauvilliers Y, Amulf I, Mignot E. Narcolepsy with cataplexy. *Lancet* 2007;369(9560):499-511.

IF: 23.87

Lambert JC, Ferreira S, Gussekloo J, Christiansen L, Brysbaert G, Slagboom E, Berr C, et al. Evidence for the association of the S100beta gene with low cognitive performance and dementia in the elderly. *Mol Psychiatr*. 2007;12(9):870-80.

IF: 11.80

Tafti M, Dauvilliers Y, Overeem S. Narcolepsy and familial advanced sleep-phase syndrome: molecular genetics of sleep disorders. *Curr Opin Genet Dev*. 2007;17(3):222-7.

IF: 10.00

Sultan A, Avignon A, Galtier F, Piot C, Mariano-Goulart D, Dupuy AM, et al. Osteoprotegerin, Thiazolidinediones Treatment and Silent Myocardial Ischemia in Type 2 Diabetic Patients. *Diabetes Care* 2007;30(11):2934-9.

IF: 7.91

Bargnoux AS, Klouche K, Fareh J, Barazer I, Dupuy AM, Leray-Moragues H, et al. Natriuretic peptides following hemodiafiltration in chronic hemodialysis patients: A comparative study. *Clin Chem*. 2007;53(6):A13-A.

IF: 7.71

Jollant F, Lawrence N, Giampietro V, Brammer MJ, Andrew CM, Williams SCR, et al. Neural basis of the vulnerability to suicidal behavior: An fMRI study using a happy/angry faces paradigm. *Biol Psychiat*. 2007;61(8):87S-S.

IF: 7.15

Bellivier F, Jamain S, Etain B, Mathieu F, Malafosse A, Leboyer M, et al. Norepinephrine transporter gene polymorphism in bipolar disorder and suicidal behavior. *Biol Psychiat*. 2007;61(8):86S-S.

IF: 7.15

Karege F, Perroud N, Burkhardt S, Schwald M, Ballmann E, La Harpe R, Malafosse A, et al. Alteration in Kinase Activity But Not in Protein Levels of Protein Kinase B and Glycogen Synthase Kinase-3beta in Ventral Prefrontal Cortex of Depressed Suicide Victims. *Biol Psychiat*. 2007;61(2):240-5.

IF: 6.77

Empana JP, Zureik M, Garipey J, Courbon D, Dartigues JF, Ritchie K, et al. The metabolic syndrome and the carotid artery structure in noninstitutionalized elderly subjects: the three-city study. *Stroke* 2007;38(3):893-9.

IF: 5.85

Vercambre MN, Fournier A, Boutron-Ruault MC, Clavel-Chapelon F, Ringa V, Berr C. DIFFerential dietary nutrient intake according to hormone replacement therapy use: an underestimated confounding factor in epidemiologic studies? *Am J Epidemiol*. 2007;166(12):1451-60.

IF: 5.24

Helzner EP, Scarmeas N, Cosentino S, Portet F, Stern Y. Leisure activity and cognitive decline in incident Alzheimer disease. *Arch Neurol.* 2007;64(12):1749-54.

IF: 5.20

Beaulieu-Bonneau S, LeBlanc M, Merette C, Dauvilliers Y, Morin CM. Family history of insomnia in a population-based sample. *Sleep* 2007;30(12):1739-45.

IF: 5.12

Boddaert J, Kinugawa K, Lambert JC, Boukhtouche F, Zoll J, Merval R, Berr C, et al. Evidence of a role for lactadherin in Alzheimer's disease. *Am J Pathol.* 2007;170(3):921-9.

IF: 5.8

Vercambre MN, Fournier A, Boutron-Ruault MC, Clavel-Chapelon F, Ringa V, Berr C. Dietary differences between users and nonusers of hormone replacement therapy: A potential confounding bias? Results from a cohort of French women. *Am J Epidemiol.* 2007;165(11):S48-S.

IF: 5.06

Sarazin M, Berr C, De Rotrou J, Fabrigoule C, Pasquier F, Legrain S, et al. Amnesic syndrome of the medial temporal type identifies prodromal AD: a longitudinal study. *Neurology* 2007;69(19):1859-67.

IF: 5.06

Ritchie K, Carriere I, de Mendonca A, Portet F, Dartigues JF, Rouaud O, et al. The neuroprotective effects of caffeine: a prospective population study (the Three City Study). *Neurology* 2007;69(6):536-45.

IF: 5.06

Dauvilliers Y, Abril B, Charif M, Quittet P, Bauchet L, Carlander B, et al. Reversal of symptomatic tumoral narcolepsy, with normalization of CSF hypocretin level. *Neurology* 2007;69(12):1300-1.

IF: 5.06

Barberger-Gateau P, Raffaitin C, Letenneur L, Berr C, Tzourio C, Dartigues JF, et al. Dietary patterns and risk of dementia: the Three-City cohort study. *Neurology* 2007;69(20):1921-30.

IF: 5.06

Moran P, Stewart R, Brugha T, Bebbington P, Bhugra D, Jenkins R, et al. Personality disorder and cardiovascular disease: Results from a national household survey. *J Clin Psychiat.* 2007;68(1):69-74.

IF: 5.03

Lee W, Bindman J, Ford T, Glozier N, Moran P, Stewart R, et al. Bias in psychiatric case-control studies - Literature survey. *Brit J Psychiat.* 2007;190:204-9.

IF: 4.95

Dauvilliers Y, Rompre S, Gagnon J, Vendette M, Petit D, Montplaisir J. REM sleep characteristics in narcolepsy and REM sleep behavior disorder. *Sleep* 2007;30(7):844-9.

IF: 4.95

Dauvilliers Y, Paquereau J, Bastuji H, Drouot X, Weil J, Baconnet B, et al. Mood, quality of life and cataplexy in central hypersomnias. *Sleep* 2007;30:A225-A.

IF: 4.95

Dauvilliers Y, Nevsimalova S, Lecendreux M, Bruni O. Modafinil reduces symptoms of excessive sleepiness in children and adolescents with obstructive sleep apnea or narcolepsy following 6 months of open-label therapy. *Sleep* 2007;30:A218-A.

IF: 4.95

Castro-Costa E, Dewey M, Stewart R, Banerjee S, Huppert F, Mendonca-Lima C, et al. Prevalence of depressive symptoms and syndromes in later life in ten European countries: the SHARE study. *Br J Psychiat* 2007;191:393-401.

IF: 4.95

Calas M, Ouattara M, Piquet G, Ziora Z, Bordat Y, Ancelin ML, et al. Potent Antimalarial Activity of 2-Aminopyridinium Salts, Amidines, and Guanidines. *J Med Chem* 2007;50(25):6307-15.

IF: 4.92

Stewart R, White LR, Xue QL, Launer LJ. Twenty-six-year change in total cholesterol levels and incident dementia - The Honolulu-Asia Aging Study. *Arch Neurol.* 2007;64(1):103-7.

IF: 4.90

Defay R, Jaussent I, Lacroux A, Fontbonne A. Relationships between glycaemic abnormalities, obesity and insulin resistance in nondiabetic Polynesians of New Caledonia. *Int J Obesity* 2007;31(1):109-13.

IF: 4.48

Baud P, Courtet P, Perroud N, Jollant F, Buresi C, Malafosse A. Catechol-O-methyltransferase polymorphism (COMT) in suicide attempters: A possible gender effect on anger traits. *Am J Med Genet B Neuropsychiatr Genet* 2007;144B(8):1042-7.

IF: 4.46

Nobili F, Frisoni GB, Portet F, Verhey F, Rodriguez G, Caroli A, et al. Brain SPECT in subtypes of Mild Cognitive Impairment: Findings from the 'Descrifa' multicenter study. *Eur J Nuclear Med Molecular Imaging* 2007;34:S133-S.

IF: 4.04

Akbaraly NT, Hininger-Favier I, Carrière I, Arnaud J, Gourlet V, Roussel AM, et al. Plasma Selenium over time and cognitive decline in the elderly: results from the EVA study *Epidemiology* 2007;18(1):52-8.

IF: 4.04

Casse-Perrot C, Nguyen N, Jouve E, Souville M, Boulenger JP, Fallissard B, et al. Paroxetine effects on emotions: a 4-week randomized placebo-controlled pilot study in psychologists and psychiatrists. *Eur Neuropsychopharmacol.* 2007;17:S398-S9.

IF: 3.79

Mykletun A, Bjerkeset O, Dewey M, Prince M, Overland S, Stewart R. Anxiety, depression, and cause-specific mortality: the HUNT study. *Psychosom Med.* 2007;69(4):323-31.

IF: 3.64

Das-Munshi J, Stewart R, Ismail K, Bebbington PE, Jenkins R, Prince MJ. Diabetes, common mental disorders, and disability: findings from the UK National Psychiatric Morbidity Survey. *Psychosom Med.* 2007;69(6):543-50.

IF: 3.64

Jollant F, Buresi C, Guillaume S, Jaussent I, Bellivier F, Leboyer M, et al. The influence of four serotonin-related genes on decision-making in suicide attempters *Am J Med Genet B* 2007;144(5):615-24.

IF: 3.52

Perroud N, Baud P, Preisig M, Etain B, Bellivier F, Favre S, Malafosse A, et al. Social phobia is associated with suicide attempt history in bipolar inpatients. *Bipolar Disord.* 2007;9(7):713-21.

IF: 3.49

Smith SC, Lamping DL, Banerjee S, Harwood RH, Foley B, Smith P, Mann A, et al. Development of a new measure of health-related quality of life for people with dementia: DEMQOL. *Psychol Med.* 2007;37(5):737-46.

IF: 3.47

Raust A, Slama F, Mathieu F, Roy I, Chenu A, Koncke D, Jollant F, Courtet P, et al. Prefrontal cortex dysfunction in patients with suicidal behavior. *Psychol Med.* 2007;37(3):411-9.

IF: 3.47

Akbaraly NT, Faure H, Gourlet V, Favier A, Berr C. Plasma Carotenoid Levels and Cognitive Performance in an Elderly Population: Results of the EVA Study. *J Gerontol A Biol Sci Med Sci* 2007;62(3):308-16.

IF: 3.45

Tsuno N, Jaussent I, Dauvilliers Y, Touchon J, Ritchie K, Besset A. Determinants of excessive daytime sleepiness in a French community-dwelling elderly population. *J Sleep Res.* 2007;16(4):364-71.

IF: 3.32

Dauvilliers Y, Pennestri MH, Petit D, Dang-Vu T, Lavigne G, Montplaisir J. Periodic leg movements during sleep and wakefulness in narcolepsy. *J Sleep Res.* 2007;16(3):333-9.

IF: 3.32

Jaussent I, Terrier N, Dupuy AM, Morena M, Delcourt C, Chalabi L, et al. Creatinine index and transthyretin as additive predictors of mortality in hemodialysis patients. *Nephrol Dial Transpl* 2007;22:328-.

IF: 3.15

Bagnoux AS, Terrier N, Barazer I, Jaussent I, Klouche K, Dupuy AM, et al. Predictive value of both BNP and NT-proBNP is enhanced by CRP levels in an hemodialysis population. *Nephrol Dial Transpl.* 2007;22:316-316.

IF: 3.15

Bagnoux AS, Klouche K, Farih J, Barazer I, Dupuy AM, Leray-Moragues H, et al. ProBNP, BNP, and NT-proBNP circulating levels are altered by hemodiafiltration but still correlate with ventricular function in chronic hemodialysis patients. *Nephrol Dial Transpl.* 2007;22:315-315.

IF: 3.15

Dauvilliers Y, Stal V, Abril B, Coubes P, Bobin S, Touchon J, et al. Chiari malformation and sleep related breathing disorders. *J Neurol Neurosur Ps.* 2007;78(12):1344-8.

IF: 3.12

Jollant F, Guillaume S, Jaussent I, Castelnau D, Malafosse A, Courtet P. Impaired decision-making in suicide attempters may increase the risk of problems in affective relationships. *J Affect Disorders.* 2007;99(1-3):59-62.

IF: 3.07

Baghdadli A, Picot MC, Michelon C, Bodet J, Pernon E, Burstezjn C, et al. What happens to children with PDD when they grow up? Prospective follow-up of 219 children from preschool age to mid-childhood. *Acta Psychiatr Scand.* 2007;115(5):403-12.

IF: 2.96

Dauvilliers Y. Insomnia in patients with neurodegenerative conditions. *Sleep Med.* 2007;8:S27-S34.

IF: 2.92

Simar D, Malatesta D, Badiou S, Dupuy AM, Caillaud C. Physical activity modulates heat shock protein-72 expression and limits oxidative damage accumulation in a healthy elderly population aged 60-90 years. *J Gerontol A Biol Sci Med Sci.* 2007;62(12):1413-9.

IF: 2.86

Boddaert J, Kinugawa K, Lambert JC, Boukhtouche F, Zoll J, Blancbrude O, Berr C, et al. Lactadherin, a novel factor of A-beta peptide phagocytosis in Alzheimer's disease. *J Neurol* 2007;254:108-108.

IF: 2.84

Ghorayeb I, Loundou A, Auquier P, Dauvilliers Y, Bioulac B, Tison F. A nationwide survey of excessive daytime sleepiness in Parkinson's disease in France. *Movement Disord.* 2007;22(11):1567-72.

IF: 2.83

Whitton S, Dauvilliers Y, Pennestri MH, Vercauteren F, Molinari N, Petit D, et al. Age-at-onset in restless legs syndrome: A clinical and polysomnographic study. *Sleep Med* 2007;9(1):54-9.

IF: 2.71

Abril B, Carlander B, Touchon J, Dauvilliers Y. Restless legs syndrome in narcolepsy: A side effect of sodium oxybate? *Sleep Med* 2007;8(2):181-3.

IF: 2.71

Godin O, Dufouil C, Ritchie K, Dartigues JF, Tzourio C, Peres K, et al. Depressive Symptoms, Major Depressive Episode and Cognition in the Elderly: The Three-City Study. *Neuroepidemiology* 2007;28(2):101-8.

IF: 2.60

Ancelin ML, Christen Y, Ritchie K. Is anti-oxidant therapy a viable alternative for Mild Cognitive Impairment? Examination of the evidence. *Dement Geriatr Cogn* 2007;24(1):1-19.

IF: 2.60

Arnaud J, Akbaraly NT, Hininger I, Roussel AM, Berr C. Factors associated with longitudinal plasma selenium decline in the elderly: The EVA Study. *J Nutr Biochem.* 2007;18(7):482-7.

IF: 2.45

Bennys K, Portet F, Touchon J, Rondouin G. Diagnostic value of event-related evoked Potentials N200 and P300 subcomponents in early diagnosis of Alzheimer's disease and mild cognitive impairment. *J Clin Neurophysiol.* 2007;24(5):405-12.

IF: 2.29

Norton J, De Roquefeuil G, Boulenger JP, Ritchie K, Mann A, Tylee A. Use of the PRIME-MD Patient Health Questionnaire for estimating the prevalence of psychiatric disorders in French primary care: comparison with family practitioner estimates and relationship to psychotropic medication use. *Gen Hosp Psychiatry* 2007;29(4):285-93.

IF: 2.24

Delcourt C, Carriere I, Cristol JP, Lacroux A, Gerber M. Dietary fat and the risk of age-related maculopathy: the POLANUT Study. *Eur J Clin Nutr.* 2007;61(11):1341-4.

IF: 2.11

Ancelin ML, Scali J, Ritchie K. Hormonal therapy and depression: are we overlooking an important therapeutic alternative? *J Psychosom Res.* 2007;62(4):473-85.

IF: 2.05

Delcourt C, Carriere I, Cristol JP, Lacroux A, Gerber M. Dietary fat and the risk for age-related maculopathy: The POLANUT Study. *Ann Nutr Metab.* 2007;51:74-.

IF: 1.83

Akbaraly NT, Faure H, Gourlet V, Favier A, Berr C. Plasma carotenoid levels and cognitive performance in an elderly population: Results of EVA study. *Ann Nutr Metab.* 2007;51:238-238.

IF: 1.83

Akbaraly NT, Berr C. Total plasma carotenoids and mortality in the elderly: A gender link. Results of EVA Study. *Ann Nutr Metab.* 2007;51:75-75.

IF: 1.83

Stengel B, Jaussent I, Guiserix J, Bourgeon B, Papoz L, Favier F. High prevalence of chronic kidney disease in La Reunion island and its association with the metabolic syndrome in the non-diabetic population: La Reunion Diabetes (REDIA) Study. *Diabetes Metab.* 2007;33(6):444-52.

IF: 1.74

Defay R, Coumil A, Dupuy AM, Cristol JP, Favier F, Fontbonne A. Association of adipocytokines with type 2 diabetes in the population of the island of Reunion. *Diabetes Metab* 2007;33:S132-S.

IF: 1.74

Dupuy AM, Boutet A, Cristol JP. Evaluation of the high-sensitivity, full-range Olympus CRP OSR6199 application on the Olympus AU640 (R). *Clin Chem Lab Med.* 2007;45(3):402-6.

IF: 1.72

Dupuy AM, Jaussent I, Lacroux A, Durant R, Cristol JP, Delcourt C. Waist circumference adds to the variance in plasma C-reactive protein levels in elderly patients with metabolic syndrome. *Gerontology* 2007;53(6):329-39.

IF: 1.63

Boullaran AM, Dupuy AM, Cristol JP. Automated determination of blood metabolic acidosis, total acid phosphatase, angiotensin converting enzyme, fructosamine and urinary oxalate and citrate on the ABX Pentra 400. *Clin Lab.* 2007;53(7-8):461-7.

IF: 1.52

Gillette-Guyonnet S, Van Kan GA, Andrieu S, Barberger-Gateau P, Berr C, Bonnefoy M, et al. Iana task force on nutrition and cognitive decline with aging. *J Nutr Health Aging* 2007;11(2):132-52.

IF: 1.47

Cortes F, Portet F, Touchon J, Vellas B. Six and 18-Month Changes in Mild to Moderate Alzheimer's Patients Treated with Acetylcholinesterase Inhibitors: What Can We Learn for Clinical Outcomes of Therapeutic Trials? *J Nutr Health Aging* 2007;11(4):330-7.

IF: 1.47

Saiz PA, Courtet P, Bousono M, Soubrier JP. Clinical management of suicidal behaviour: From genetic to therapeutic approach. *Eur Psychiat.* 2007;22:S99-S.

IF: 1.46

Jollant F, Guillaume S, Jaussent I, Bellivier F, Leboyer M, Castelnaud D, et al. Psychiatric diagnoses and personality traits associated with disadvantageous decision-making. *Eur Psychiat* 2007;22(7):455-61.

IF: 1.46

Courtet P. Decision making as an endophenotype in suicidal behaviour. *Eur Psychiat* 2007;22:S49-S.

IF: 1.46

Boulenger JP, Huusom AKT, Weiller E, Florea I. Long-term treatment of severe major depression (MDD) with escitalopram or paroxetine. *Eur Psychiat*. 2007;22:S229-S.

IF: 1.46

Thomas C, Perrey S, Ben Saad H, Delage M, Dupuy AM, Cristol JP, et al. Effects of a supplementation during exercise and recovery. *Int J Sports Med*. 2007;28(8):703-12.

IF: 1.43

Bourdel-Marchasson I, Helmer C, Barberger-Gateau P, Peuchant E, Fevrier B, Ritchie K, et al. Characteristics of undiagnosed diabetes in community-dwelling French elderly: The 3C study *Diabetes Res Clin Pract*. 2007;76(2):257-64.

IF: 1.23

Carriere I, Delcourt C, Lacroux A, Gerber M. Nutrient intake in an elderly population in southern France (POLANUT): deficiency in some vitamins, minerals and omega-3 PUFA. *Int J Vitam Nutr Res*. 2007;77(1):57-65.

IF: 1.03

Dupuy AM, Michon AL, Badiou S, Cristol JP. Adaptation and evaluation of the Randox full-range CRP assay on the Olympus AU2700 (R). *J Clin Lab Anal*. 2007;21(1):34-9.

IF: 0.84

Berr C, Akbaraly TN, Nourashemi F, Andrieu S. Epidemiology of dementia. *Presse Med* 2007;36(10):1431-41.

IF: 0.38

Touchon J, Portet F. Mild cognitive impairment. *Presse Med*. 2007;36(10 Pt 2):1464-8.

IF: 0.33

Ollat H, Laurent B, Bakchine S, Michel BF, Touchon J, Dubois B. Effects of the association of sulbutiamine with an acetylcholinesterase inhibitor in early stage and moderate Alzheimer disease. *Encephale* 2007;33(2):211-5.

IF: 0.25

Boulenger JP, Capdevielle D. Pharmacological treatment of generalized anxiety disorders : rationale and limitations. *Encephale* 2007;33(1):84-94.

IF: 0.25

Boulenger JP. Antidepressive treatments: evaluation criteria of therapeutic results. *Encephale* 2007;33:S666-S71.

IF: 0.25

Norton J, David M, Boulenger JP. General practitioners are bearing an increasing burden of the care of common mental disorders in France. *Eur J Psychiat*. 2007;21(1):63-70.

IF: 0.01

Roussel AM, Akbaraly NT. Selenium and Aging. *Agro FOOD Industry hi-tech* 2007;18(3).

Ritchie K. Quel abord épistémologique de la notion de troubles des conduites? L'apport des systèmes de classification. *Neuropsychiatrie de l'enfance et de l'adolescence* 2007;55:458-60.

Dauvilliers Y, Carlander B. Interactions between sleep and pain: the case of fibromyalgia. *Douleur et Analgésie* 2007;20(4):239-45.

Causse F, Boulenger JP. Le handicap mental. Tutelle, curatelle, sauvegarde de justice. *Rev Prat*. 2007;57(16):1823-8.

2008

De Gennaro L, Marzano C, Fratello F, Moroni F, Pellicciari MC, Ferlazzo F, Malafosse A, et al. The electroencephalographic fingerprint of sleep is genetically determined: A twin study. *Ann Neurol*. 2008;64(4):455-60.

IF: 8.81

Jollant F. Functional neural basis of suicidal behavior in depression - Dr. Jollant replies. *Am J Psychiat*. 2008;165(9):1203-1203.

IF: 8.28

Jollant F, Lawrence NS, Giampietro V, Brammer MJ, Fullana MA, Drapier D, et al. Orbitofrontal Cortex Response to Angry Faces in Men With Histories of Suicide Attempts. *Am J Psychiat*. 2008;165:740-8.

IF: 8.25

Sultan A, Avignon A, Galtier F, Piot C, Mariano-Goulart D, Dupuy AM, et al. Osteoprotegerin, thiazolidinediones treatment, and silent myocardial ischemia in type 2 diabetic patients. *Diabetes Care* 2008;31(3):593-5.

IF: 7.91

Akbaraly TN, Fontbonne A, Favier A, Berr C. Plasma carotenoids and onset of dysglycemia in an elderly population: results of the Epidemiology of Vascular Ageing Study. *Diabetes Care* 2008;31(7):1355-9.

IF: 7.91

Raffaitin C, Gin H, Empana JP, Helmer C, Berr C, Tzourio C, et al. Metabolic Syndrome and Risk for Incident Alzheimer's Disease or Vascular Dementia: the Three - City Study. *Diabetes Care* 2008;32:169-74.

IF: 7.84

Debette S, Courbon D, Leone N, Gariépy J, Tzourio C, Dartigues JF, Ritchie K, et al. Tea consumption is inversely associated with carotid plaques in women. *Arterioscler Thromb Vasc Biol* 2008;28(2):353-9.

IF: 7.05

Leone N, Ducimetiere P, Gariépy J, Courbon D, Tzourio C, Dartigues JF, Ritchie K, et al. Distension of the Carotid Artery and Risk of Coronary Events. The Three-City Study. *Arterioscler ThrombVascBiol* 2008;28(7):1392-7.

IF: 6.88

Debette S, Leone N, Courbon D, Gariépy J, Tzourio C, Dartigues JF, Ritchie K, et al. Calf Circumference Is Inversely Associated With Carotid Plaques. *Stroke* 2008;39(11):2958-65.

IF: 5.85

Stewart R, Dufouil C, Godin O, Ritchie K, Maillard P, Delcroix N, et al. Neuroimaging correlates of subjective memory deficits in a community population. *Neurology* 2008;70(18):1601-7.

IF: 5.69

Thouvenot E, Urbach S, Dantec C, Poncet J, Seveno M, Demettré E, Touchon J, et al. Enhanced Detection of CNS Cell Secretome in Plasma Protein-Depleted Cerebrospinal Fluid. *J Proteome Res*. 2008;7(10):4409-21.

IF: 5.67

Ryan J, Carriere I, Ritchie K, Stewart R, Toulemonde G, Dartigues JF, et al. Late-life depression and mortality: influence of gender and antidepressant use. *Brit J Psychiat*. 2008;192(1):12-8.

IF: 5.44

Capdevielle D, Ritchie K. The long and the short of it: are shorter periods of hospitalisation beneficial? *Brit J Psychiat*. 2008;192:164-5.

IF: 5.44

Dauvilliers Y, Bissler S, Chapotot F, Vatunga G, Cespuglio R, Josenando T, et al. Hypocretin and human African trypanosomiasis. *Sleep* 2008;31(3):348-54.

IF: 4.95

Dauvilliers Y, Tafti M. The genetic basis of sleep disorders. *Curr Pharm Des* 2008;14(32):3386-95.

IF: 4.86

Castro-Costa E, Dewey M, Stewart R, Banerjee S, Huppert F, Mendonca-Lima C, et al. Ascertaining late-life depressive symptoms in Europe: an evaluation of the survey version of the EURO-D scale in 10 nations. The SHARE project. *Int J Methods Psychiatr Res*. 2008;17(1):12-29.

IF: 4.47

Perroud N, Courtet P, Vincze I, Jaussent I, Jollant F, Bellivier F, et al. Interaction between BDNF Val66Met and childhood trauma on adult's violent suicide attempt. *Genes Brain Behav* 2008;7(3):314-22.

IF: 4.38

Lenoir H, Lacombe JM, Dufouil C, Ducimetiere P, Hanon O, Ritchie K, et al. Relationship between blood pressure and depression in the elderly. The Three-City Study. *J Hypertens* 2008;26(9):1765-72.

IF: 4.36

Lin JS, Dauvilliers Y, Arnulf I, Bastuji H, Anaclet C, Parmentier R, et al. An inverse agonist of the histamine H(3) receptor improves wakefulness in narcolepsy: studies in orexin-/-mice and patients. *Neurobiol Dis*. 2008;30(1):74-83.

IF: 4.12

Bruandet A, Richard F, Tzourio C, Berr C, Dartigues JF, Alperovitch A, et al. Haplotypes Across ACE and the Risk of Alzheimer's Disease: The Three-City Study. *J Alzheimers Dis* 2008;13(3):333-9.

IF: 4.08

Akbaraly NT, Stephen AM, Kuh D, Richards M. Association between change in intake of dietary folate during adult *IIFe* and later cognitive decline: results of 1946 British Cohort. *Proc Nutr Soc*. 2008;67(OCE):E158.

IF: 3.93

Artero S, Ancelin ML, Portet F, Dupuy A, Berr C, Dartigues JF, et al. Risk profiles for mild cognitive impairment and progression to dementia are gender specific. *J Neurol Neurosur Psychiatr* 2008;79(9):979-84.

IF: 3.63

Vincze I, Perroud N, Buresi C, Baud P, Bellivier F, Etain B, Malafosse A, et al. Association between brain-derived neurotrophic factor gene and a severe form of bipolar disorder, but no interaction with the serotonin transporter gene. *Bipolar Disord*..2008;10(5):580-7.

IF: 3.49

Robert PH, Berr C, Volteau M, Bertogliati-Fileau C, Benoit M, Guerin O, et al. Importance of lack of interest in patients with mild cognitive impairment. *Am J Geriatr Psychiatr*. 2008;16(9):770-6.

IF: 3.49

Carriere I, Dupuy AM, Lacroux A, Cristol JP, Delcourt C. Biomarkers of inflammation and malnutrition associated with early death in healthy elderly people. *J Am Geriatr Soc*. 2008;56(5):840-6.

IF: 3.47

Oldershaw A, Grima E, Jollant F, Richards C, Simic M, Taylor L, et al. Decision making and problem solving in adolescents who deliberately self-harm. *Psychol Med*. 2008;1-10.

IF: 3.47

Avila-Funes JA, Helmer C, Amieva H, Barberger-Gateau P, Le Goff M, Ritchie K, et al. Frailty among community-dwelling elderly people in France: the three-city study. *J Gerontol A Biol Sci Med Sci*. 2008;63(10):1089-96.

IF: 3.45

Terrier N, Jaussent I, Dupuy AM, Morena M, Delcourt C, Chalabi L, et al. Creatinine index and transthyretin as additive predictors of mortality in haemodialysis patients. *Nephrol Dial Transplant*. 2008;23(1):345-53.

IF: 3.15

Carlander B, Vincent T, Le Floch A, Pageot N, Camu W, Dauvilliers Y. Hypocretinerinic dysfunction in neuromyelitis optica with coma-like episodes. *J Neurol Neurosur Psychiatr*. 2008;79(3):333-4.

IF: 3.12

Chaudieu I, Beluche I, Norton J, Boulenger JP, Ritchie K, Ancelin ML. Abnormal reactions to environmental stress in elderly persons with anxiety disorders: Evidence from a population study of diurnal cortisol changes. *J Affect Disord*. 2008;106(3):307-13.

IF: 3.07

Nobili F, Frisoni GB, Portet F, Verhey F, Rodriguez G, Caroli A, et al. Brain SPECT in subtypes of mild cognitive impairment : Findings from the DESCRIPA multicenter study. *J Neurol* 2008;255(9):1344-53.

IF: 2.84

Akbaraly TN, Brunner EJ. Socio-demographic influences on trends of fish consumption during later adult *IIFe* in the Whitehall II study. *Brit J Nutr*. 2008;100(5):1116-27.

IF: 2.70

Visser PJ, Verhey FR, Boada M, Bullock R, De Deyn PP, Frisoni GB, Touchon J, et al. Development of screening guidelines and clinical criteria for predementia Alzheimer's disease. The DESCRIPA Study. *Neuroepidemiology* 2008;30(4):254-65.

IF: 2.60

Helmer C, Peres K, Pariente A, Pasquier F, Auriacombe S, Poncet M, Portet F, Ritchie K, et al. Primary and Secondary Care Consultations in Elderly Demented Individuals in France. Results from the Three-City Study. *Dement Geriatr Cogn Disord.* 2008;26(5):407-15.

IF: 2.60

Soto ME, Andrieu S, Cantet C, Reynish E, Ousset PJ, Arbus C, Touchon J, et al. Predictive value of rapid decline in mini mental state examination in clinical practice for prognosis in Alzheimer's disease. *Dement Geriatr Cogn Disord.* 2008;26(2):109-16.

IF: 2.60

Arnaud J, Akbaraly NT, Hininger I, Roussel AM, Berr C. Factors associated with longitudinal plasma selenium decline in the elderly: The EVA Study (vol 18, pg 482, 2007). *J Nutr Biochem* 2008;19(4):275-275.

IF: 2.45

Soudry A, Dufouil C, Ritchie K, Dartigues JF, Tzourio C, Alperovitch A. Factors associated with changes in antidepressant use in a community-dwelling elderly cohort: the Three-City Study. *Eur J Clin Pharmacol.* 2008;64(1):51-9.

IF: 2.29

Soudry A, Dufouil C, Ritchie K, Dartigues JF, Tzourio C, Alperovitch A. Factors associated with antidepressant use in depressed and non-depressed community-dwelling elderly: the three-city study. *Int J Geriatr Psych.* 2008;23(3):324-30.

IF: 2.29

Roche S, Dauvilliers Y, Tiers L, Couderc C, Piva MT, Provansal M, et al. Autoantibody profiling on high-density protein microarrays for biomarker discovery in the cerebrospinal fluid. *J Immunol Methods* 2008;338(1-2):75-8.

IF: 2.28

Badiou S, Cristol JP, Jaussent I, Terrier N, Morena M, Maurice F, et al. Fine-Tuning of the Prediction of Mortality in Hemodialysis Patients by Use of Cytokine Proteomic Determination. *Clin J Am Soc Nephrol.* 2008;3(2):423-30.

IF: 2.23

Dupuy AM, Carriere I, Scali J, Cristol JP, Ritchie K, Dartigues JF, et al. Lipid levels and cardiovascular risk in elderly women: a general population study of the effects of hormonal treatment and lipid-lowering agents. *Climacteric* 2008;11(1):74-83.

IF: 2.16

Vercambre MN, Boutron-Ruault MC, Niravong M, Berr C, Clavel-Chapelon F, Ragusa S. Performance of a short dietary questionnaire to assess nutrient intake using regression-based weights. *Public Health Nutr.* 2008:1-6.

IF: 1.91

Ryan J, Scali J, Carriere I, Ritchie K, Ancelin ML. Hormonal treatment, mild cognitive impairment and Alzheimer's disease. *Int Psychogeriatr.* 2008;20(1):47-56.

IF: 1.74

Bordenave S, Metz L, Flavier S, Lambert K, Ghanassia E, Dupuy AM, et al. Training-induced improvement in lipid oxidation in type 2 diabetes mellitus is related to alterations in muscle mitochondrial activity. Effect of endurance training in type 2 diabetes. *Diabetes Metab* 2008;34(2):162-8.

IF: 1.74

Ryan J, Carriere I, Scali J, Ritchie K, Ancelin ML. Lifetime hormonal factors may predict late-life depression in women. *Int Psychogeriatr.* 2008:1-16.

IF: 1.74

Ritchie K. Elderly persons with elderly fathers - do they face additional risks? *Int Psychogeriatr.* 2008;20(3):427-9.

IF: 1.74

Bagnoux AS, Klouche K, Fareh J, Barazer I, Villard-Saussine S, Dupuy AM, et al. Prohormone brain natriuretic peptide (proBNP), BNP and N-terminal-proBNP circulating levels in chronic hemodialysis patients. Correlation with ventricular function, fluid removal and effect of hemodiafiltration. *Clin Chem Lab Med.* 2008;46(7):1019-24.

IF: 1.74

Fabre S, Dupuy AM, Dossat N, Guisset C, Cohen JD, Cristol JP, et al. Protein biochip array technology for cytokine profiling predicts etanercept responsiveness in rheumatoid arthritis. *Clin Exp Immunol.* 2008;153(2):188-95.

IF: 1.53

Gillette Guyonnet S, Abellan Van Kan G, Andrieu S, Aquino JP, Arbus C, Becq JP, Berr C, Portet F, Touchon J, et al. Prevention of Progression to Dementia in the Elderly: Rationale and Proposal for a Health-Promoting Memory Consultation (An IANA Task Force). *J Nutr Health Aging* 2008;12(8):520-9.

IF: 1.47

Soto ME, Andrieu S, Arbus C, Ceccaldi M, Couratier P, Dantoine T, Portet F, Touchon J, et al. Rapid cognitive decline in Alzheimer's disease. Consensus paper. *J Nutr Health Aging* 2008;12(10):703-13.

IF: 1.47

Blanchet C, Pommie C, Mondain M, Berr C, Hillaire D, Puel JL. Pure-tone threshold description of an elderly French screened population. *Otol Neurotol.* 2008;29(4):432-40.

IF: 1.41

Courtet P. Interplay of environment, genes and cognitions in the vulnerability to suicide attempts. *Eur Psychiat.* 2008;23:S32-S.

IF: 1.27

Boulenger JP, Weiller E. Does baseline anxiety affect outcome of SSRI treatment in patients with severe depression? *Eur Psychiat.* 2008;23:S367-S.

IF: 1.27

Mendes T, Gino S, Ribeiro F, Guerreiro M, de Sousa G, Ritchie K, et al. Memory complaints in healthy young and elderly adults: Reliability of memory reporting. *Aging Ment Health* 2008;12(2):177-82.

IF: 1.19

Salzmann A, Perroud N, Crespel A, Lamercy C, Malafosse A. Candidate genes for temporal lobe epilepsy: a replication study. *Neurol Sci.* 2008;29(6):397-403.

IF: 1.00

Arnulf I, Lecendreux M, Franco P, Dauvilliers Y. Kleine-Levin syndrome: State of the art. *Rev Neurol.* 2008;164(8-9):658-68.

IF: 0.44

Dauvilliers Y, Arnulf I. Narcolepsie avec cataplexie. *Rev Neurol.* 2008;164(8-9):634-45.

IF: 0.44

Lecendreux M, Dauvilliers Y, Arnulf I, Franco P. Narcolepsie avec cataplexie chez l'enfant : particularités cliniques et approches thérapeutiques. *Rev Neurol.* 2008;164(8-9):646-57.

IF: 0.44

Boulenger JP. From one indication to another: the benefit of longitudinal studies. *Encephale* 2008;34 Suppl 3:S115-9.

IF: 0.25

Raffard S, Bayard S, Capdevielle D, Garcia F, Boulenger JP, Gely-Nargeot MC. Lack of insight in schizophrenia: A review. *Encephale* 2008;34(6):597-605.

IF: 0.25

Raffard S, Bayard S, Capdevielle D, Garcia F, Boulenger JP, Gely-Nargeot MC. Lack of insight in schizophrenia: A review Part II: Explanatory models and psychopathological hypothesis. *Encephale* 2008;34(5):511-6.

IF: 0.25

Canolle M, Messaoudi M, Ayoub B, Descours I, Bocquet P, Gely-Nargeot MC, Touchon J, et al. Valeur prototypique des intrusions sémantiques dans la maladie d'Alzheimer. *Psychol Neuropsychiatr Vieil.* 2008;6(1):67-79.

Boulenger JP, Attal J. Rationalizing the prescription of antidepressants. *Rev Prat* 2008;58(4):395-402.

Ritchie K, Villebrun D. Epidemiology of alcohol-related dementia. *Handb Clin Neurol* 2008;89:845-50.

Khachaturian ZS, Petersen RC, Gauthier S, Buckholtz N, Corey-Bloom JP, Evans B, Touchon J, et al. A roadmap for the prevention of dementia: the inaugural Leon Thal Symposium. *Alzheimers Dement*. 2008;4(3):156-63.

Rondeau V, Allain H, Bakchine S, Bonet P, Brudon F, Chauplannaz G, Ritchie K, Touchon J, et al. General practice-based intervention for suspecting and detecting dementia in France. *Dementia* 2008;7(4):433-50.

2009

Helbig I, Mefford HC, Sharp AJ, Guipponi M, Fichera M, Franke A, Malafosse A, et al. 15q13.3 microdeletions increase risk of idiopathic generalized epilepsy. *Nat Genet*. 2009 Feb;41(2):160-2.

IF: 30.25

Tabak A, Jokela M, Akbaraly TN, Brunner EJ, Kivimaki M. Trajectories of glycaemia, insulin sensitivity and insulin secretion preceding the diagnosis of type 2 diabetes: the Whitehall II study. *Lancet*. 2009 (online June 8).

IF: 28.40

Bensemam F, Hot D, Ferreira S, Dumont J, Bombois S, Maurage CA, Berr C, et al. Evidence for induction of the ornithine transcarbamylase expression in Alzheimer's disease. *Mol Psychiatr*. 2009 Jan;14(1):106-16.

IF: 12.53

Chapuis J, Hot D, Hansmannel F, Kerdraon O, Ferreira S, Hubans C, Berr C, et al. Transcriptomic and genetic studies identify IL-33 as a candidate gene for Alzheimer's disease. *Mol Psychiatr*. 2009 Feb 10; in press.

IF: 12.53

Alperovitch A, Lacombe JM, Hanon O, Dartigues JF, Ritchie K, Ducimetiere P, Tzourio C. Relationship between blood pressure and outdoor temperature in a large sample of elderly individuals: the Three-City study. *Arch Intern Med*. 2009 Jan 12;169(1):75-80.

IF: 9.11

Carrière I, Fourrier-Reglat A, Dartigues JF, Rouaud O, Pasquier F, Ritchie K, Ancelin ML. Drugs with anticholinergic properties, cognitive decline and dementia in an elderly general population (The Three City Study). *Arch Intern Med*. 2009;169(14):1317-24.

IF: 9.11

Akbaraly TN, Kivimaki M, Brunner EJ, Chandola T, Marmot MG, Singh-Manoux A, Ferrie JE. Association between metabolic syndrome and depressive symptoms in middle-aged adults: results from the Whitehall II study. *Diabetes Care*. 2009 Mar;32(3):499-504.

IF: 7.35

Raffaitin C, Gin H, Empana JP, Helmer C, Berr C, Tzourio C, Portet F, Dartigues JF, Alperovitch A, Barberger-Gateau P. Metabolic syndrome and risk for incident Alzheimer's disease or vascular dementia: the Three-City Study. *Diabetes Care*. 2009 Jan;32(1):169-74.

IF: 7.35

Akbaraly NT, Portet F, Fustinoni S, Dartigues J, Artero S, Rouaud O, Touchon J, Ritchie K, Berr C. Leisure activity and risk of dementia: results from the Three-City Study. *Neurology*. 2009; in press.

IF: 7.04

Dufouil C, Letenneur L, Ritchie K, Tzourio C, Dartigues J, Alperovitch A. The protective effect of moderate alcohol consumption on the risk of dementia revisited: evidence from the 3C Study. *Neurology*. 2009; in press.

IF: 7.04

Lambert JC, Schraen-Maschke S, Richard F, Fievet N, Rouaud O, Berr C, Dartigues JF, Tzourio C, Alperovitch A, Buee L, Amouyel P. Association of plasma Ab peptide concentrations with risk of dementia: the prospective 3C-study. *Neurology*. 2009 June; in press.

IF: 7.04

Bineau S, Dufouil C, Helmer C, Ritchie K, Empana JP, Ducimetiere P, Alperovitch A, Bousser MG, Tzourio C. Framingham Stroke Risk Function in a Large Population-Based Cohort of Elderly People. The 3C Study. *Stroke*. 2009 Mar 12;40(5):1564-70.

IF: 6.49

Empana JP, Dauvilliers Y, Dartigues JF, Ritchie K, Garipey J, Jouven X, Tzourio C, Amouyel P, Besset A, Ducimetiere P. Excessive Daytime Sleepiness Is an Independent Risk Indicator for Cardiovascular Mortality in Community-Dwelling Elderly The Three City Study. *Stroke*. 2009 Apr;40(4):1219-24.

IF: 6.49

Straczek C, Ducimetiere P, Dartigues J, Ritchie K, Jouven X, Carcaillon M, Amouyel P, et al. Increased level of systemic C-reactive protein is independently predictive of coronary heart disease in community-dwelling older adults: the Three City Study. *Stroke*. 2009; in press.

IF: 6.49

Habert MO, Horn JF, Sarazin M, Lotterie JA, Puel M, Onen F, Portet F, Touchon J, et al. Brain perfusion SPECT with an automated quantitative tool can identify prodromal Alzheimer's disease among patients with mild cognitive impairment. *Neurobiol Aging*. 2009 Feb 26; in press.

IF: 5.96

Kim JM, Stewart R, Kim SW, Shin IS, Yang SJ, Yoon JS. Cholesterol and serotonin transporter polymorphism interactions in late-life depression. *Neurobiol Aging*. 2009 Mar 27.

IF: 5.96

Le Fur I, Laumet G, Richard F, Fievet N, Berr C, Rouaud O, Delcourt C, Amouyel P, Lambert JC. Association study of the CFH Y402H polymorphism with Alzheimer's disease. *Neurobiol Aging*. 2009 Apr 21; in press.

IF: 5.96

Power T, Stewart R, Ancelin ML, Jaussent I, Malafosse A, Ritchie K. 5-HTTLPR genotype, stressful life events and late-life depression: No evidence of interaction in a French population. *Neurobiol Aging*. 2009; in press.

IF: 5.96

Lawrence NS, Jollant F, O'Daly O, Zelaya F, Phillips ML. Distinct Roles of Prefrontal Cortical Subregions in the Iowa Gambling Task. *Cereb Cortex*. 2009 May;19(5):1134-43.

IF: 5.90

Kivimaki M, Gimeno D, Ferrie JE, Batty GD, Oksanen T, Jokela M, Virtanen M, Salo P, Akbaraly TN, et al. Socioeconomic position, psychosocial work environment and cerebrovascular disease among women: the Finnish public sector study. *Int J Epidemiol*. 2009 Jan 20; in press.

IF: 5.83

Ventura E, Durant R, Jaussent A, Picot MC, Morena M, Badiou S, Dupuy AM, Jeandel C, Cristol JP. Homocysteine and inflammation as main determinants of oxidative stress in the elderly. *Free Radical Bio Med*. 2009 Mar;46(6):737-44.

IF: 5.39

Kivimaki M, Batty GD, Singh-Manoux A, Nabi H, Sabia S, Akbaraly TN, Tabak A, Vahtera J, Marmot MG, Jokela M. Common mental disorder as a predictor of obesity in middle-aged men and women: serial data collection over 19 years in the Whitehall II study. *Brit J Psychiat*. 2009; in press.

IF: 5.07

Mykletun A, Bjerkeset O, Overland S, Prince M, Dewey M, Stewart R. Levels of anxiety and depression as predictors of mortality: The HUNT study. *Brit J Psychiat*. 2009; in press.

IF: 5.07

Ritchie K, Jaussent I, Stewart R, Dupuy A, Courtet P, Ancelin M, Malafosse A. Association of adverse childhood environment and 5-HTTLPR genotype with late-life depression. *J Clin Psychiat*. 2009;70:1281-88.

IF: 5.05

Carriere I, Villebrun D, Peres K, Stewart R, Ritchie K, Ancelin ML. Modelling complex pathways between late-life depression and disability: evidence for mediating and moderating factors. *Psychol Med*. 2009;26:1-4.

IF: 4.71

Oldershaw A, Grima E, Jollant F, Richards C, Simic M, Taylor L, Schmidt U. Decision making and problem solving in adolescents who deliberately self-harm. *Psychol Med*. 2009 Jan;39(1):95-104.

IF: 4.71

Beluche I, Chaudieu I, Norton J, Carriere I, Boulenger JP, Ritchie K, Ancelin ML. Persistence of abnormal cortisol levels in elderly persons after recovery from major depression. *J Psychiatr Res*. 2009 May;43(8):777-83.

IF: 4.67

Slama F, Courtet P, Golmard JL, Mathieu F, Guillaume S, Yon L, Jollant F, Misson H, Jaussent I, Leboyer M, Bellivier F. Admixture analysis of age at first suicide attempt. *J Psychiatr Res*. 2009 Feb 14; in press.

IF: 4.67

Dauvilliers Y, Paquereau J, Bastuji H, Drouot X, Weil JS, Viot-Blanc V. Psychological health in central hypersomnias: The French Harmony Study. *J Neurol Neurosurg Ps*. 2009 Feb 11;80(6):636-41.

IF: 4.62

Laberge L, Begin P, Dauvilliers Y, Beaudry M, Laforte M, Jean S, Mathieu J. A polysomnographic study of daytime sleepiness in myotonic dystrophy type 1. *J Neurol Neurosurg Ps*. 2009 Feb 11;80(6):642-46.

IF: 4.62

Kim JM, Stewart R, Kim SW, Yang JS, Yoon JS. Insomnia, depression and physical disorders in late-life: a 2-year longitudinal community study in Koreans. *Sleep*. 2009; in press.

IF: 4.47

Capdevielle D, Raffard S, Bayard S, Garcia F, Baciou O, Bouzigues I, Boulenger JP. Competence to consent and insight in schizophrenia: Is there an association? A pilot study. *Schizophr Res*. 2009;108(1-3):272-9.

IF: 4.17

Raffard S, Capdevielle D, Boulenger JP, Bayard S. Is there really a dissociation between consciousness of cognitive deficits and insight into the symptoms of the disease in schizophrenia? *Schizophr Res*. 2009 Feb 15;109(1-3):198-99.

IF: 4.17

Vellas B, Black R, Thal LJ, Fox NC, Daniels M, McLennan G, Touchon J, Team ANS, et al. Long-term follow-up of patients immunized with AN1792: reduced functional decline in antibody responders. *Curr Alzheimer Res*. 2009 Apr;6(2):144-51.

IF: 4.13

Guillaume S, Jollant F, Jaussent I, Lawrence N, Malafosse A, Courtet P. Somatic markers and explicit knowledge are both involved in decision-making. *Neuropsychologia*. 2009 Apr 14.

IF: 4.07

Isaac V, Stewart R, Artero S, Ancelin ML, Ritchie K. Social activity and improvement in depressive symptoms in the elderly: a prospective community cohort study. *Am J Geriatr Psychiatr*. 2009;17(8):688-96.

IF: 4.02

Guipponi M, Deutsch S, Kohler K, Perroud N, Le Gal F, Vessaz M, Laforge T, Petit B, Jollant F, Guillaume S, Baud P, Courtet P, La Harpe R, Malafosse A. Genetic and epigenetic analysis of SSAT gene dysregulation in suicidal behavior. *Am J Med Genet B*. 2009 Dec 2; in press.

IF: 3.93

Sparks DL, Hunsaker JC, Amouyel P, Malafosse A, Bellivier F, Leboyer M, Courtet P, Helbecque N. Angiotensin I-Converting Enzyme I/D Polymorphism and Suicidal Behaviors. *Am J Med Genet B*. 2009 Mar;150B(2):290-4.

IF: 3.93

Baud P, Perroud N, Courtet P, Jaussent I, Relecom C, Jollant F, Malafosse A. Modulation of anger control in suicide attempters by TPH-1. *Genes Brain Behav*. 2009 Feb;8(1):97-100.

IF: 3.89

Avila-Funes JA, Amieva H, Barberger-Gateau P, Le Goff M, Raoux N, Ritchie K, Carriere I, Tavernier B, Tzourio C, Gutierrez-Robledo LM, Dartigues JF. Cognitive Impairment Improves the Predictive Validity of the Phenotype of Frailty for Adverse Health Outcomes: The Three-City Study. *J Am Geriatr Soc*. 2009 Feb 22;57(3):453-61.

IF: 3.80

Zhang J, Stewart R, Phillips M, Shi Q, Prince M. Pesticide exposure and suicidal ideation in rural communities of Zhejiang Province, China. *B World Health Organ*. 2009; in press.

IF: 3.80

Ryan J, Carriere I, Scali J, Ritchie K, Ancelin ML. LIFe-time estrogen exposure and cognitive functioning in later LIFe. *Psychoneuroendocrino*. 2009 Feb;34(2):287-98.

IF: 3.78

Kasper S, Baldwin DS, Larsson Lonn S, Boulenger JP. Superiority of escitalopram to paroxetine in the treatment of depression. *Eur Neuropsychopharmacol*. 2009 Apr;19(4):229-37.

IF: 3.66

Morena M, Dupuy A, Jaussent I, Vernhet H, Gahide G, Klouche K, Bargnoux AS, et al. A cut-off value of plasma osteoprotegerin level may predict presence of coronary artery calcifications in chronic kidney disease patients. *Nephrol Dial Transpl*. 2009; in press.

IF: 3.56

Kim JM, Stewart R, Kim SW, Yang SJ, Shin IS, Yoon JS. Modification by two genes of associations between general somatic health and incident depressive syndrome in older people. *Psychosom Med*. 2009 Apr;71(3):286-91.

IF: 3.46

Ryan J, Burger HG, Szoeki C, Lehert P, Ancelin ML, Dennerstein L. A prospective study of the association between endogenous hormones and depressive symptoms in postmenopausal women. *Menopause*. 2009 Jan 21;16(3):509-17.

IF: 3.45

Misson H, Mathieu F, Jollant F, Yon L, Guillaume S, Parmentier C, Raust A, Jaussent I, Slama F, Leboyer M, Bellivier F, Courtet P. Factor analyses of the Suicidal Scala (SIS) and the Risk-Rescue Rating Scale (RRRS): toward the identification of homogeneous subgroups of suicidal behaviors. *J Affect Disorders*. 2009; in press.

IF: 3.27

Olié E, Guillaume S, Jaussent I, Courtet P, Jollant F. Higher psychological pain during a major depressive episode may be a factor of vulnerability to suicidal ideation and act. *J Affect Disorders*. 2009; in press.

IF: 3.27

Scali J, Ryan J, Carriere I, Ritchie K, Ancelin ML. A prospective study of hormonal treatment and anxiety disorders in community-dwelling elderly women (The Esprit Study). *J Affect Disorders*. 2009 May;115:274-79.

IF: 3.27

Gandubert C, Carrière I, Escot C, Soulier M, Hermès A, Boulet P, Ritchie K, Chaudieu I. Onset and relapse of psychiatric disorders following early breast cancer. A case control study. *Psycho-oncol*. 2009; in press.

IF: 3.15

Akbaraly TN, Singh-Manoux A, Marmot MG, Brunner EJ. Education Attenuates the Association between Dietary Patterns and Cognition. *Dement Geriatr Cogn Disord*. 2009;27(2):147-54.

IF: 3.14

Mc Manus J, Pathansali R, Hassan H, Ouldred E, Cooper D, Stewart R, Macdonald A, Jackson S. The course of delirium in acute stroke. *Age Ageing*. 2009 Apr 21.

IF: 3.05

Romaschin AD, Youssef Y, Chow TFF, Siu KWM, DeSouza LV, Honey RJ, Stewart R, Pace KT, Yousef GM. Exploring the pathogenesis of renal cell carcinoma: Pathway and bioinformatics analysis of dysregulated genes and proteins. *Biol Chem*. 2009;390(2):125-35.

IF: 3.03

Laberge L, Dauvilliers Y, Begin P, Richer L, Jean S, Mathieu J. Fatigue and daytime sleepiness in patients with myotonic dystrophy type 1: To lump or split? *Neuromuscular Disord*. 2009 Apr 28; in press.

IF: 2.93

Fabre S, Guisset C, Tatem L, Dossat N, Dupuy AM, Cohen JD, Cristol JP, Daures JP, Jorgensen C. Protein biochip array technology to monitor rituximab in rheumatoid arthritis. *Clin Exp Immunol*. 2009 Mar;155(3):395-402.

IF: 2.85

Akbaraly TN, Favier A, Berr C. Total plasma carotenoids and mortality in the elderly: results of the Epidemiology of Vascular Ageing (EVA) study. *Brit J Nutr*. 2009 Jan;101(1):86-92.

IF: 2.76

Vercambre MN, Boutron-Ruault MC, Ritchie K, Clavel-Chapelon F, Berr C. Long-term association of food and nutrient intakes with cognitive and functional decline: a 13-year follow-up study of elderly French women. *Brit J Nutr*. 2009 Feb 10;1-9.

IF: 2.76

Blain H, Jaussent A, Thomas E, Micallef JP, Dupuy AM, Bernard P, Mariano-Goulart D, Cristol JP, Sultan C, Rossi M, Picot MC. Low Sit-to-Stand Performance is Associated with Low Femoral Neck Bone Mineral Density in Healthy Women. *Calcified Tissue Int*. 2009 Feb 14;84(4):266-75.

IF: 2.73

Prata DP, Breen G, Osborne S, Munro J, St Clair D, Collier DA. An association study of the neuregulin 1 gene, bipolar affective disorder and psychosis. *Psychiat Genet*. 2009 Jun;19(3):113-6.

IF: 2.69

Raffard S, Bayard S, Gely-Nargeot MC, Capdevielle D, Maggi M, Barbotte E, Morris D, Boulenger JP. Insight and executive functioning in schizophrenia: A multidimensional approach. *Psychiat Res*. 2009 May 30;167(3):239-50.

IF: 2.66

Noize P, Bazin F, Dufouil C, Lechevallier-Michel N, Ancelin ML, Dartigues JF, Tzourio C, Moore N, Fourrier-Reglat A. Comparison of health insurance claims and patient interviews in assessing drug use: data from the Three-City (3C) Study. *Pharmacoepidem Dr S*. 2009 Apr;18(4):310-9.

IF: 2.51

Bayard S, Capdevielle D, Boulenger JP, Raffard S. Dissociating self-reported cognitive complaint from clinical insight in schizophrenia. *Eur Psychiat*. 2009 Mar 24;24(4):251-58.

IF: 2.43

Sarchiapone M, Jaussent I, Roy A, Carli V, Guillaume S, Jollant F, Malafosse A, Courtet P. Childhood trauma as a correlative factor of suicidal behavior - via aggression traits. Similar results in an Italian and in a French sample. *Eur Psychiat*. 2009 Jan;24(1):57-62.

IF: 2.43

Berr C, Akbaraly T, Arnaud J, Hininger I, Roussel AM, Barberger Gateau P. Increased selenium intake in elderly high fish consumers may account for health benefits previously ascribed to omega-3 Fatty acids. *J Nutr Health Aging*. 2009 Jan;13(1):14-8.

IF: 2.32

Cochen V, Arbus C, Soto ME, Villars H, Tiberge M, Montemayor T, Dauvilliers Y, et al. Sleep Disorders and their Impacts on Healthy, Dependent, and Frail Older Adults. *J Nutr Health Aging*. 2009 Apr;13(4):322-9.

IF: 2.32

Mahieux F, Onen F, Berr C, Volteau M, Habert MO, Legrain S, Dubois B. Early Detection of Patients in the Pre Demented Stage of Alzheimer's Disease: The PRE-AL Study. *J Nutr Health Aging*. 2009 Jan;13(1):21-6.

IF: 2.32

Touchon J, Vellas B, Katchaturian Z. Editorial: CTAD International Research Conference: Clinical Trials in Alzheimer's Disease. *J Nutr Health Aging*. 2009 Mar;13(3):204.

IF: 2.32

Jacka F, Overland S, Stewart R, Tell G, Bjelland I, Mykletun A. Association between magnesium intake and depression and anxiety in community-dwelling adults: The Hordaland health study. *Aust NZ J Psychiat*. 2009;43(1):45-52.

IF: 2.31

Begum A, Tsopelas C, Lindsay J, Stewart R. Cognitive function and common mental disorders in older people with vascular and non-vascular disorders: a national survey. *Int J Geriatr Psych*. 2009 Feb 4.

IF: 2.12

Fok M, Stewart R, Besset A, Ritchie K, Prince M. Incidence and persistence of sleep complaints in a community older population. *Int J Geriatr Psych*. 2009; in press.

IF: 2.12

Manus JM, Pathansali R, Hassan H, Ouldred E, Cooper D, Stewart R, Macdonald A, Jackson S. The evaluation of delirium post-stroke. *Int J Geriatr Psych*. 2009 Apr 22.

IF: 2.12

Vercambre MN, Boutron-Ruault MC, Niravong M, Berr C, Clavel-Chapelon F, Ragusa S. Performance of a short dietary questionnaire to assess nutrient intake using regression-based weights. *Public Health Nutr*. 2009 Apr;12(4):547-52.

IF: 2.12

Mujic F, Von Heising M, Stewart R, Prince M. Mental capacity assessments among general hospital inpatients referred to a specialist liaison psychiatry service for older people. *Int Psychogeriatr*. 2009; in press.

IF: 2.09

Dennis M, Baillon S, Brugha T, Lindsay J, Stewart R, Meltzer H. The influence of limitation in activity of daily living and physical health on suicidal ideation: results from a population survey of Great Britain. *Soc Psych Psych Epid*. 2009:1-6.

IF: 1.95

Perroud N, Jaussent I, Bellivier F, Malafosse A, Courtet P. Anger Regulation: Childhood Abuse Interacts with COMT But Not with 5-HT Genotypes in Suicide Attempters. *Neuropsychobiology*. 2009;59:62.

IF: 1.75

Raffard S, D'Argembeau A, Lardi C, Bayard S, Boulenger JP, Van Der Linden M. Exploring self-defining memories in schizophrenia. *Memory*. 2009 Jan;17(1):26-38.

IF: 1.54

Le Goff M, Helmer C, Foubert-Samier A, Cowppli-Bony P, Berr C, Dartigues JF. Activities in retired people and the risk of dementia. *C R Biol*. 2009 Apr;332(4):378-84.

IF: 1.45

Arnaud J, Akbaraly TN, Hininger-Favier I, Berr C, Roussel AM. Fibrates but not statins increase plasma selenium in dyslipidemic aged patients - The EVA study. *J Trace Elem Med Biol*. 2009;23(1):21-8.

IF: 1.43

Tiahou G, Dupuy A, Jaussent I, Sees D, Cristol J, Badiou S. Determinants of Homocysteine levels in Ivorian rural population. *Int J Vitam Nutr Res* 2009; in press.

IF: 0.97

Besnier N, Gavaudan G, Navez A, Adida M, Jollant F, Courtet P, Lancon C. Clinical features of suicide occurring in schizophrenia (I). Risk-factors identification. *Encephale* 2009 Apr;35(2):176-81.

IF: 0.20

Capdevielle D, Ritchie K, Villebrun D, Boulenger JP. Schizophrenic patients' length of stay: Clinical factors of variability and consequences. *Encephale* 2009 Feb;35(1):90-6.

IF: 0.20

Guetin S, Portet F, Picot MC, Defez C, Pose C, Blayac JP, Touchon J. Impact of music therapy on anxiety and depression for patients with Alzheimer's disease and on the burden felt by the main caregiver (feasibility study). *Encephale* 2009 Feb;35(1):57-65.

IF: 0.20

Norton J, de Roquefeuil G, David M, Boulenger JP, Ritchie K, Mann A. Prévalence des troubles psychiatriques en médecine générale selon le patient health questionnaire : adéquation avec la détection par le médecin et le traitement prescrit. *Encephale* 2009; in press.

IF: 0.20

Raffard S, Gely-Nargeot MC, Capdevielle D, Bayard S, Boulenger JP. Learning potential and cognitive remediation in schizophrenia. *Encephale* 2009; in press.

IF: 0.20

Bagnoux AS, Morena M, Badiou S, A Dupuy M, Canaud B, Cristol JP. Carbonyl stress and oxidatively modified proteins in chronic renal failure. *Ann Biol Clin (Paris)*. 2009 Mar-Apr;67(2):153-8.

Guétin S, Soua B, Voiriot G, Picot MC, Hérisson C. The effect of music therapy on mood and anxiety-depression: An observational study in institutionalised patients with traumatic brain injury. *Ann Readapt Med Phys*. 2009; in press.

Cristol JP, Bagnoux AS, Dupuy AM, Morena M, Avignon A, Canaud B. Biological markers of vascular calcifications in uremia. *Médecine Nucléaire-Imagerie Fonctionnelle et Métabolique*. 2009 Jan;33(1):53-61.

Gillette-Guyonnet S, Andrieu S, Dantoine T, Dartigues JF, Touchon J, Vellas B, Group MS. Commentary on "a roadmap for the prevention of dementia II. Leon Thal Symposium 2008." The Multidomain Alzheimer Preventive Trial (MAPT): a new approach to the prevention of Alzheimer's disease. *Alzheimers Dement*. 2009 Mar;5(2):114-21.